VOLUME 8

SUBJECT INDEX

(Compiled by Peter Thornton)

A

Acetaldehyde complexes
  tungsten(IV), 1261
Acetates and acetato complexes
  cobalt(II), 51
  copper(II), 659,1077
  lanthanides, 555
  manganese(III), 1029
  molybdenum(II), 1751,1770,2359
  nickel(II), 2551
  osmium(I), 1537
  rhodium(II), 1117
  ruthenium(II), 597,1149
  ruthenium(II,III), 577,2571
  yttrium, 1923
Acetic acid complexes
  vanadium(II), 1823
Acetoin, 1213
Acetone, 653
Acetonethiosemicarbazonate
  nickel(II), 727
Acetonitrile, solvent for
  complexation, 2251
Acetonitrile complexes
  cobalt(III), 275,415,2389
  molybdenum, 1625
  molybdenym(0), 2119
  molybdenum(II), 1770,2599
  molybdenum(III), 545
  niobium(V), 549
  rhenium(I), 1872
  rhenium(III), 1689
  rhenium(V), 959
  rhodium(I), 2193
  ruthenium(II), 1223
  tantalum(V), 549
  titanium(IV), 311
  tungsten(II), 351,2587
  vanadium(IV), 87
N-Acetylglycinate, -leucinate,
  -phenylalaninate, Ni(II), 1329
Acetylsalicylate complexes
  copper(II), 2777
Actinides
  coordination numbers, 2431
  diketonate hydroxide complexes,
    2071
Acyl complexes
  iron(0), 603
Adipate, copper(II), 1239
Adsorption isotherms, adsorption
  of metal complexes on silica
  gel, 2901
Alanine complexes
  cobalt(III), 1015,1205,1227
Alcohols, oxidations catalysed by
  Ru(III) complex, 2813
Alcohol complexes
  cadmium, calcium, 1953
  copper(II), 769,2469
  iron(II), 1335
  molybdenum(IV), 29
  nickel(II), 2321
  vanadium(III), 1782
Aldehyde, hydrogenation, 121
Aldehyde complexes
  lanthanides, 2109
Alkene complexes
  tungsten(IV), 1261
Alkenyl complexes
  molybdenum(II), 1859
  platinum(II), 433
  ruthenium, 695
  tungsten, 695,1807
Alkoxides
  chromium(0), 653
  copper(II), 769,873
  molybdenum(IV), 29,123,129
  molybdenum(IV,V), 123
  molybdenum(V), 669
  molybdenum(V,VI), 537
  molybdenum(VI), 1213,2473,2915
  neodymium, 2183
  niobium(V), 1848
  osmium(VI), 597
  rhenium(V), 559
  titanium(IV), 2893
  tungsten(0), 653
  zinc, 1913
Alkyls
  aluminium, 831,1279,1497
  hafnium(IV), 2189
  indium, 763
  lanthanum, lutetium, 1850
  molybdenum(II), 1804,2599
  molybdenum(IV), 1802
  nickel(II), 285,585,1069,2449
  niobium(III), 2189.
  niobium(V), 1607
  phosphorus(V), 731,2623
  platinum(II), 57,551
  platinum(IV), 551
  rhenium(V), 959
  rhodium(III), 2689
  silicon, 427
  tantalum(III), 2189
  tantalum(V), 341,1607
  tin(II), 1891
  tin(IV), 1413,1753,2047,2557,
    2755
  titanium(IV), 1717,1838,2817

tungsten, 1807
tungsten(II), 1804
tungsten(III), 2035
vanadium(III), 1339,1767
zirconium, 77,1601
zirconium(III), 1758
zirconium(IV), 1758,1760,2189
Alkylamides
chromium(III), 1457
molybdenum(IV), 129,1419
molybdenum(VI), 2947
phosphorus(V), 2623
rhenium(VII), 2657
tantalum(V), 341
titanium(III), 1457
tungsten(VI), 2947
vanadium(III), 1339,1457
zirconium, 1601
Alkylidyne complexes
chromium, 179
cobalt, 1939
iron, 179
molybdenum, 179, 2265,2271
platinum, 2265,2271
tungsten, 179,2271
tungsten(III), 2035
Alkylimido complexes
molybdenum(VI), 2947
niobium(V), 1819
rhenium(V), 1689
rhenium(VI),(VII), 2657
tantalum(V), 341
tungsten(IV), 1261
tungsten(VI), 1788,2947
Alkylphosphido complexes
Hf(III),(IV), Zr(III),(IV), 1774
Alkylphosphinidene complexes
tungsten(II), 2671
Alkyne complexes
molybdenum(0),(II), 1810
ruthenium, 1123
tungsten(II), 351,2587
Alkynyl complexes
electrophilic addition, 1595
Os, Ru, W, 2003
Allene complexes
electrophilic addition, 1595
Allyls
molybdenum(II), 2599
molybdenum(III), (IV), 203
nickel(II), 285, 2449
platinum(II), 551
tungsten(II), 1859
Allyl alcohol complex
tungsten(IV), 1261
Aluminium
chloride complexes, 325,533
chloride dioxygen hydrocarbon complex, 533
chloride diphosphine methyl phosphine oxide complexes, 1497
chromium oxide, 1765
diaminoimine methyl complex, 1279
edta fluoride thio complexes, 2057
methyl phosphine complexes, 831
triazenide, 1909
Aluminophosphates, Co,Cr,Mg,Mn,Ni, 819
Americium(III)
diketonate hydroxide complexes, 2071
Amide(NH_2^-) complexes
Co(I), Fe(I), 1401
molybdenum, 1653
palladium(II), 1979
platinum(II), 1979
rhodium(I), 1401
tungsten, 1653
Amide($RCONH_2$) complexes
cadmium, 1093
copper(II), 1
mercury, zinc, 1093
1-Amidino-*O*-alkylurea complexes
copper(II), nickel(II), 757
Amido($RCONH^-$) complexes
antimony(III), 581
Amidoamine complexes
platinum(II), 2943
Amidodiphosphine complexes
iridium(I), 2291
Amine complexes
aluminium, 1279
chromium(0), 2681
cobalt(III), 491
copper(II), 659,909,991,2593, 2749,2837
indium, 633
iron(III), 491
lanthanides, 2459
molybdenum(0), 1857
molybdenum(III),(IV), 1971
molybdenum(VI), 2947
nickel(II), 25,909,1243,2837
palladium(II), 25
platinum(II), 25
rhodium(II), 1157
silver(I), 2951
tungsten(VI), 2947
uranium(VI), 2251
Aminoacid complexes
beryllium, 2017
cobalt(III), 1015,1205 ,1227
copper(II), 1,739,1019,2131
iron, 1865
lanthanides, 2139
molybdenum(VI), 2225
nickel(II), 1329
phosphorus(V), 731
thorium(IV), uranium(VI), 2233
vanadium(IV), 1173,1745
Aminoalcohol complexes
Mo(VI), U(VI), 977
2-Aminobenzenethiolates
molybdenum, 1033
titanium(IV), 2893
4-Aminobenzophenone complex
copper(II), 991
Aminocarbyne complexes
molybdenum, 1595,1653
rhenium, tungsten, 1595
2-Aminocyclopentene-1-dithiocarboxylate complexes, In, 633
2-Aminoethanethiol complexes
nickel(II), 2837
vanadium(III), 1723
2-Aminoethanol complexes
Mo(VI), U(VI), 977
3-Aminoisoxazole complexes,
copper(II), 935
2-Aminophenol complexes
Th, U(VI), 977
2-Aminophenol Schiff base complexes, Co(III), 2677

Aminopolycarboxylates
thorium, 2385
titanium(III), 577
Aminopyridine complexes
Co, Cu, Ni, 2901
vanadium(IV), 2611
zinc, 2901
Aminothiolates
vanadium(III), 1723
Ammonia, from dinitrogen, 1463
Ammonia complexes
cobalt(II,III),(III), 2023
ruthenium(III), 577
Aniline Schiff base complexes
palladium(II), 2725
Anthracene, dioxygen halide complexes, 533
Antimonic acid, core - shell particles with silicic acid, 2577
Antimony(III)
amido aryl azole complexes, 581
chloride iron(0) molybdenum(0) tungsten(0) complexes, 2495
diimine halide complexes, 2937
dithiocarbamates, 1891
Arabinose complexes
cobalt(II,III),(III), 2023
Arene complexes
chromium, 1135,1589,1641
hafnium(0), 1641
molybdenum(0), 1641,1810
niobium(0),(I), 1641
ruthenium(I), 2803
Ti(0), W(0), Y(0), Zr(0), 1641
Arsenic(III) hydride imine, 1461
Arsine complexes
copper(II), 2469
molybdenum(II), 917
ruthenium(II), 1149
Arsine oxide complexes
thorium, zirconium, 109
Aryls
antimony(III), 581
carbaboranes, 805
copper(III), 1039
lanthanides, 17
mercury, 1085
nickel(II), 285,1069
palladium(II), 2209
phosphorus(V), 731,1445,2623
platinum(II), 2209
rhenium(VI),(VII), 2657
rhodium(III), 2727
tin(II), 1861
tin(IV), 1753,1897
titanium(III), 1457,1717
vanadium(III), 1339,1457,1767
Arylamido complexes
bismuth(III), 1579
nickel, 2603
platinum(II), 2507
tantalum(V), 341
Arylimido complexes
molybdenum, 1033
tantalum(V), 341
tungsten(IV), 1261
tungsten(VI), 1788
Arylphosphonium salts, 1039
Asparagine, aspartic acid complexes, copper(II), 1
Aspartate complexes
beryllium, 2017
copper(II), 1019
thorium(IV), uranium(VI), 2233
Attractive forces in transition metal complexes, 1742
Azide complexes
cobalt(II),(III), 641
Cu(II), Mn(II), 1523
mercury, 2731
molybdenum(0), 1471
molybdenum(II), 371
Pd(II), Pt(II), 897
tungsten(0), 1471
2,2'-Azobipyridine complexes
molybdenum(0), 921
Azole complexes
antimony(III), 581
cobalt(II), 1965
copper(II), 157,659,769,935, 1345,1965,2313,2777
lanthanides, 555
manganese(II), 1965
molybdenum, 1033
molybdenum(II), 371
molybdenum(VI), 541,2225
nickel(II), 1965
palladium(II), 1345
rhodium(II), 1157
ruthenium(II), 851
vanadium(IV), 1835
Azoresorcinol complexes
palladium(II), 197

B

Barium
cryptand complex, 1143
diaminepolycarboxylate complex, 2693
mixed metal oxides, 1615
tetracycline complexes, 189
Benzene complexes
chromium, 1589
chromium(0), 1135
Benzenethiolate, indium, 763
Benzil complexes
molybdenum(VI), 2915
Benzoates
cobalt(II), copper(II), 2395
lanthanides, 555
molybdenum(VI), 2915
nickel(II), 2395
titanium(IV), 1844,1846
Benzo-15-crown-5 complex
thallium(I), 2115
Benzohydroxamate complexes
molybdenum(IV), 29
Benzoin complexes
molybdenum(VI), 2915
Benzoin oxime complexes
molybdenum(VI), 2473
Benzonitrile complexes
rhenium(I), 1872
Benzophenone, 653
Benzoquinonedioxime complexes
ruthenium(II),(III), 851
Benzotriazole complexes
antimony(III), 581
N-Benzoylalaninate, -glycinate, -leucinate, -valinate complexes, nickel(II), 1329
Benzyls
nickel(II), 285,2449

tantalum(V), 341
zirconium, 77
6-Benzyl-2,2′-dipyridyl, 6-benzyl-4,4′-dimethyl-2,2′-dipyridyl complexes, zirconium, 77
Benzylisocyanide complexes
tungsten(II), 827
6-Benzyl-1,10-phenanthroline complexes, zirconium, 77
Beryllium
aminoacid hydroxide complexes, 2017
iodate water complex, 357
tetracycline complexes, 189
Bicarbonate complexes
cobalt(III), 2389
Bicyclo-2,2,1-hepta-2,5-diene complexes, rhodium(I), 167
Biguanidine complexes
copper(II), 7
Binucleating pentadentate ligand, copper(II) complex, 2513
Biomineralisation, iron oxides, 149
Biphasic catalysis, review, 407
2,2′-Bipyrazine complexes
molybdenum(0), 921
ruthenium(II), 2615
3,3′-Bipyridazine complexes
molybdenum(0), 921
ruthenium(II), 2615
2,2′-[&4,4′-]Bipyrimidine complexes, molybdenum(0), 921
1,4-Bis(2-butyltellurophenyl)-2,3-diazabuta-1,3-diene complexes
Pd(II), Pt(II), 2769
1,6-Bis(2-butyltellurophenyl)-2,5-diazahexa-1,5-diene complexes
Pd(II), Pt(II), Rh(I), 2769
Bis(3-dicyclohexylphosphino)propyl(phenyl)phosphine complexes
iridium, 1903
Bis(2-diethylaminoethyl)amido complexes, Cr(III), Ti(III), V(III), 1457
1,2-Bis(diethylphosphino)ethane complexes, Cr(II), 1821
Bis(2-diethylphosphinoethyl)-amido complexes
vanadium(III), 1339,1767
zirconium(IV), 1767
Bis(2-diethylphosphinoethyl)phosphido complexes, Zr(IV), 1767
1,2-Bis(dimethylarsino)benzene complexes, osmium(I), 1537
Bis(2-dimethylarsinoethyl)amido complexes, zirconium(IV), 1767
Bis-3-(dimethylphosphino)dipropylamine complexes
Ni(II), Pd(II), Pt(II), 25
1,2-Bis(dimethylphosphino)ethane complexes
chromium(II), 1821
nickel(II), 1069
niobium(I), 1784
rhenium(V), 959
technetium(V), 1879
titanium(0), 1611
vanadium(II),(IV), 1784
zirconium, 1601
Bis(2-dimethylphosphinoethyl)-amido complexes
vanadium(III), 1339,1767
zirconium(IV), 1767
Bis(2-dimethylphosphinoethyl)-phosphido complexes
zirconium(IV), 1767
Bis(4,6-dimethylpyridylimino)isoindoline complexes, Mo(II), 2359
1,2-Bis(diphenylarsino)ethane complexes, Re(II),(III), 1733
Bis(diphenylphosphino)amine complexes, palladium(I), 1045
1,2-Bis(diphenylphosphino)benzene complex, rhenium(V), 1689
1,4-Bis(diphenylphosphino)butane complexes
nickel(0), 13
platinum(II), 433
1,2-Bis(diphenylphosphino)ethane complexes
cobalt(II), 749
molybdenum, 1595
molybdenum(0), 1463,1810,2599
molybdenum(II), 1751,2599
molybdenum(III), 545
molybdenum(IV), 1870
nickel(0), 13
nickel(II), 585
niobium(I), 1784
osmium(I), 1537
palladium(II), 835,1979
platinum(II), 91,433,835,1979, 2507
rhenium, 1595
rhenium(I), 1872
ruthenium, 695
technetium(I), 1201
tungsten, 1595
vanadium(II),(IV), 1784
Bis(2-diphenylphosphinoethyl)phenylphosphine complexes, molybdenum(II),(IV), 1756
1,1′-Bis(diphenylphosphino)ferrocene complexes, Pt(II), 433
Bis(diphenylphosphino)methane complexes
aluminium, 1497
cobalt(II), 749
molybdenum(0), 1810
nickel(0), 13
osmium(I), 1537
platinum(II), 433
rhenium(II),(III),(IV), 1689
1,3-Bis(diphenylphosphino)propane complexes
cobalt(II), 749
nickel(0), 13
platinum(II), 433
Bis(diphenylphosphinoyl)methane complexes, aluminium, 1497
Bis[(diphenylphosphinyl)methyl]-phenylphosphine oxide complexes, Mo(0), W(0), 627
1,2-Bis(di-*i*-propylphosphino)ethane complex, Ir(III), 1945
Bis(2-di-*i*-propylphosphinoethyl)-amido complexes, Zr(IV), 1767
Bis(di-*i*-propylphosphino)methane complexes, platinum(II), 2169
1,3-Bis(2-hydroxyphenyl)propane-1,3-dionate complexes, Cd, Co(II), Ni(II), Zn, 2743
Bis(3-hydroxypropyl)thiourea, 1891
1,3-Bis(1-methylcyclohexyl)cyclopentadienyl complex, W(II), 1804

1,7-Bis(5-methyl-4-imidazolyl)2,6-dithiaheptane complexes, Co, Cu, Mn, Ni, 1965
Bis[2-(1-methylimidazolyl)methyl]-amine complex, copper(II), 659
Bismuth(III)
arylamide, 1579
carboxylate, 2941
diimine halide complexes, 2937
dithiocarbamates, 1891
dithiophosphate, 483
phosphonate complexes, 1307
Bis(phosphiranyl)oxide complexes
tungsten(0), 2671
Bis(pyridylimino)isoindoline complexes, molybdenum(II), 2359
2,3-Bis(2-pyridyl)pyrazine complexes, ruthenium(II), 2615
3,6-Bis(2'-pyridyl)-1,2,4,5-tetrazine complex, molybdenum(0), 921
1,9-Bis(2-pyridyl)-2,5,8-triazanonane complexes, copper(II), nickel(II), 909
Bis(triaza)diphosphine complexes
platinum(II), 2485
N-Bis(trifluoromethyl)nitroxy-iminophosphine, 379
Bis(trimethylsilyl)cyclopentadienyl complexes,
hafnium(IV), 1774
niobium(IV), 1848
titanium(III), 1883
zirconium(III), 1882
zirconium(IV), 1774
Bis(trimethylsilyl)methyl complexes, La, Lu, 1850
Bis(triphenylphosphonium)methane salt, 1293
Book reviews
boron chemistry, 2011
general textbook, 705
organogermanium compounds, 1147
organolead compounds, 133
organometallic chemistry, 1361, 2735
rings, cages and clusters, 1147
semiconductor chemistry, 1361
Boraphosphene, 969
Borates, cadmium, mercury, 1567
Born - Haber cycle
iodoammonium salts, 2911
Borohydrides
titanium(III), 1883
zirconium, 1601
Boron
book review, 2011
capping agents, ruthenium(II) clathrochelates, 1391
halides, dioxygen hydrocarbon complexes, 533
Borylphosphinidene, 969
Bromate, 2791
Bromides
antimony(III), 2937
bismuth(III), 2937
cadmium, 1093
chromium(II), 1821
cobalt(II), 749,1545,1965
cobalt(III), 275,415,2389
copper(I), 1103
copper(II), 769,935,1545,1965, 2469,2593,2749
copper(III), 1039
iridium(III), 211
iron(II), 2425
manganese(II), 1965
mercury, 1085,1093
molybdenum(0), 1471
molybdenum(II), 1756,1876
molybdenum(III), 545
molybdenum(III,IV), 2785
molybdenum(IV), 1756
nickel(II), 285,1545,1965
niobium(IV),(V), 1848
palladium(I), 1045
palladium(II), 897,1485,2725
platinum(II), 897
platinum(IV), 893
rhenium(III), 1689
rhodium, 2565
rhodium(III), 211,2565
ruthenium(III), 2179
silver(I), 211
technetium(V), 1879
thallium(III), 2057
tin(IV), 2047
tungsten(0), 1471
tungsten(II), 1876,2587
tungsten(VI), 1675
vanadium(III), 1782
zinc, 1093
Bromine, oxidation of Ti(III) complexes, 2883
3-[&4-]Bromopyridine complexes
molybdenum(II), 917
Butadiene complexes
iridium(I), 2291
tungsten(IV), 1261
i-Butanol complex
iron(II), 1335
Butatriene complexes
chromium, manganese, 1589
i-Butyls
indium, 763
n-Butyls
tin(IV), 1891
t-Butyls
indium, 763
t-Butylamido complexes
molybdenum(VI), 2947
rhenium(VII), 2657
tungsten(VI), 2947
n-Butylamine complexes
chromium(0), 2681
t-Butylamine complexes
Mo(VI), W(VI), 2947
t-Butylcyclopentadienyls
molybdenum(III),(IV), 203
zirconium(IV), 1760
t-Butylimido complexes
molybdenum(VI), 2947
rhenium(VI),(VII), 2657
tungsten(IV), 1261
tungsten(VI), 1788,2947
t-Butylisocyanide complexes
molybdenum(II), 1786
platinum, 2271
titanium(IV). 1838
tungsten(II), 1786
tungsten(IV), 1261,1285
4-*t*-Butylphenoxide, zirconium, 845
t-Butylphosphido complexes
Hf(IV), Zr(III),(IV), 1774
t-Butylthiolates
Mo(IV), V(V), 1762
2-Butyne complexes

tungsten(II), 351,2587

C

Cadmium
amide cytosine halide phosphine oxide urea complexes,1093
chloride phosphinate phosphine oxide complexes, 2535
diamine malonate complexes, 2291
diaminopolycarboxylates, 1365 2693
diketonate pyridine complexes, 2743
mercury borates, 1567
nitrate pyrrolidone mercury complex, 1913
phosphonate, 1307
polyaminepolyphosphonate complexes, 453,2077
polyselenide complexes, 1995
vitamin D_3 complexes, 1953
Caesium
carboxylate carboxylic acid water complexes, 793
crown ether Fe(II) Ru(II) complexes, 879
Calcium
cryptand complex, 1143
diaminopolycarboxylates, 1365, 2693
tetracycline complexes, 189
vitamin D_3 complexes, 1953
Carbaboranes, 805
Carbaborane complexes
palladium(II), 1485
Carbazole complexes
antimony(III), 581
Carbazone complexes
molybdenum(VI), 677
Carbene complexes
chromium, 1589
hydride migrations, 1583
manganese, 1589
molybdenum(IV), 1583,1861,1863
ruthenium, tungsten, 2351
tungsten(IV), 1861
Carbohydrate complexes
cobalt(II,III),(III), 2023
Carbonate complexes
cobalt(III), 2389,2889
rhodium(III), 1163
Carbonyls
chromium, 179,1589
chromium(0), 653,887,1099,2125, 2681,2719
cobalt, 1625
cobalt(0), 2237
hafnium(0), 1611,1641
intermediates, 1637
iridium(I), 121
iron, 179,1885
iron(0), 479,603,1471,2237,2495, 2521
iron(II), 1503,2371,2425
manganese, 1589
manganese(0),(I), 1855
molybdenum, 179,2265,2271
molybdenum(0), 505,627,887,921, 1471,1810,1857,1876,2119,2333, 2495,2925
molybdenum(II), 505,917,1804, 1859,1876
molybdenum(IV), 1261,1589,1701, 1861,1863
nickel(0), 293,1351
niobium(III), 2189
osmium, 1437,2003
osmium(I), 1537
osmium(II), 1431
platinum, 2265,2271
platinum(0), 2521
platinum(II), 551
rhenium(II), 1689
rhodium(I), 167,2119,2193
rhodium(III), 1447
ruthenium, 695,1123,2003,2351
ruthenium(0), 2237
ruthenium(II), 597,1149,1431
ruthenium(III), 2199
tantalum(III), 2189
titanium(0), 1611
titanium(III), 1883
tungsten, 179,695,1807,2003, 2271,2351
tungsten(0), 505,627,653,827, 887,1471,1876,2125,2495,2671
tungsten(II), 351,505,827,1804, 1859,1876,2587,2671
tungsten(III), 2035
tungsten(IV), 1261,1589,1701, 1861
tungsten(VI), 1285
zirconium(0), 1611,1641
Carbonyl sulphide complexes
copper, 1447
ruthenium(II), 1149
Carboxyethyl complex
osmium(VI), 597
Carboxylate complexes
caesium, 793
chromium(III), 2941
cobalt(II), 39,51,2395
copper(II), 647,659,1077,2345, 2395,2777
iron(II), 1503
lanthanides, 555
manganese(III), 1029
molybdenum, 2265
molybdenum(II), 1751,1770,2359
molybdenum(V), 669
molybdenum(VI), 333,2915,2947
nickel(II), 39,2395,2551
osmium(I), 1537
platinum(II), 143
potassium, 2147
rhodium(I), 167
rhodium(II), 1117,1149
rhodium(III), 1085,2727
ruthenium(II), 597,1149
ruthenium(II,III), 577,2571
thallium(I), 793
titanium(IV), 1844,1846
tungsten(VI), 333,2947
vanadium(IV,V), 1723
yttrium, 1923
zirconium, 929
Carboxylic acid complexes
caesium, 793
potassium, 2147
thallium(I), 793
titanium(IV), 1846
vanadium(II), 1823
Carbyne complexes
Mo, Re, W, 1595

tungsten(VI), 1285
Catechol complexes
copper(II), 2345
tin(II), 2933
Catenand complex
copper(I), potassium, 1251
CD spectra
cobalt(II,III),(III) ammine arabinose hydroxide water complexes, 2023
cobalt(III) aminoacid chloride diaminopolycarboxylate water complexes, 1205
cobalt(III) aminoacid diamine nitrite complex, 1227
cobalt(III) carbonate chloride edda water complexes, 2889
rhodium(III) carbonate ethylenediamine hydroxide water complexes, 1163
vanadium(IV) aminoacid oxo complexes, 1173,1745
Cerium(III)
chloride pyridine pyrrole Schiff base water complexes, 21
crown ether complex, 1561
diketonate water complex, 1111
formylferrocene benzoylhydrazone complex, 2105
polyaminepolycarboxylates, 1425
Cerium(IV)
ether siloxide complex, 1001
Chemical vapour deposition, platinum, 551
Chlorides and chloro complexes
aluminium, 325,1497
antimony(III), 2495,2937
bismuth(III), 2937
cadmium, 1093,2535
chromium(II), 1825
chromium(III), 1457,1770
cobalt(II), 427,1509,1965,2901
cobalt(III), 275,415,1205,2007, 2389,2889
copper(I), 325
copper(II), 427,769,909,935,991, 1345,1545,1965,2007,2469,2593, 2749,2901
gallium, 1053
germanium, 2641
indium, 2481
iridium, 1903
iridium(III), 211,2245
iron, 1865
iron(III), 135,1293
lanthanides, 21,1850
lanthanum, 2029
lutetium, 1850
manganese(II), 1965
mercury, 1085,1093,1913
molten, 325
molybdenum(0), 1471
molybdenum(II), 917,1756,1786, 2599
molybdenum(III,IV), 2785
molybdenum(IV), 25,1261,1717
molybdenum(V), 45,447,549,1705, 1833
molybdenum(VI), 549,1729,1736, 2947
nickel(II), 25,285,427,585,909, 1545,1965,2283,2901
niobium(IV), 1767
niobium(V), 549,1729,1736,1784, 1797,1819,1848
osmium(II), 1431
osmium(III), 2179
palladium(I), 1045
palladium(II), 25,91,161,897, 1345,1485,2151,2517,2769
phosphazenes, 1517
phosphorus(V), 2623
platinum(II), 25,143,551,897, 2169,2485,2769,2907,2943
platinum(IV), 997
rhenium, 1595
rhenium(I), 1778,1872
rhenium(II), 1689,1733
rhenium(III), 469,1689,1733
rhenium(IV), 469
rhenium(V), 959,1689
rhenium(VII), 1736,2657
rhodium(I), 1431,1575,2193,2769
rhodium(III), 211,613,1085,1447, 2689
ruthenium(I), 2803
ruthenium(II), 1149,1431
ruthenium(III), 2179,2813
silver(I), 211
tantalum(V), 549,1729
technetium(II),(V), 1879
thallium(III), 2057
tin(II), 917,1045,1085,1786
tin(IV), 1413,1753,2047
titanium(III), 1780,1883
titanium(IV), 311,1804,1846,2013
tungsten, 1807
tungsten(0), 1471
tungsten(II), 469,1261,1786
tungsten(III), 469
tungsten(IV), 1261
tungsten(VI), 549,1729,1788,2947
uranium(IV), 1767
vanadium(II), 1784,1823
vanadium(III), 1339,1723,1767, 1780
vanadium(IV), 87,1784
vanadium(IV,V), 1723
zinc, 1093,2593,2901
zirconium(III), 1758,1882
zirconium(IV), 929,1601,1767
N-Chloroacetylaminoacid complexes
nickel(II), 1329
4-Chloro-2,5-dimethylphenylthio-acetate complex, potassium, 2147
2-Chloroethyl(phenylamido)phosphine complexes, W(0), 2671
2-Chloroethylphosphinidene complexes, tungsten(II), 2671
Chlorogenic acid complexes
copper(II), 2345
2-Chloromethylbenzimidazole complexes, antimony(III), 581
4-(4-Chlorophenoxy)butanoate nickel(II), 39
1-Chlorophosphirane complexes
tungsten(0), 2671
Chromium
alkylidyne carbonyl cyclopentadienyl diphosphine seleno selenoacyl thio thioacyl iron complexes, 179
arene carbene carbonyl triene complexes, 1589
oxycarbides, 1794
Chromium(0)

alkoxide carbonyl hydride complexes, 653
amine carbonyl complexes, 2681
arene complexes, 1641
arene cyclopentadienyl cyclopentaphosphorus complexes, 1135
carbonyl episulphide complexes, 887
carbonyl pentaoxapentaphosphorinane complexes, 2719
carbonyl phosphine complexes, 1099,2125
carbonyl phosphonite Mo(II) complexes, 2339
Chromium(II)
chloride phenylenediamine thiocyanate thiourea complexes, 1825
diphosphine halide complexes, 1821
oxidation, 469
Chromium(III)
alkylamido chloride complex, 1457
aluminium oxide, 1765
aluminophosphates, 819
carboxylate, 2941
chloride sulphonate thioether complexes, 1770
dipyridyl complex, 1453,1549
mixed metal oxides, 1615
oxidation by Mn(III), 1874
polyaminepolyphosphonate complexes, 453
Chromium(V)
oxo complexes, 1830
Citrate complexes
Hf(IV),Nb(V),Ta(V),Zr(IV), 1371
Clathrochelate complexes
ruthenium(II), 1391
Clay minerals, thermal decomposition, 2709
Cluster molecules, rearrangements, 1933
Cobalt
alkylidyne cyclopentadienyl hydride complexes, 1939
carbonyl thio molybdenum complex, 1625
disulphidothionitrate (NS_3^-) porphyrin complexes, 1447
phosphine thio complex, 801
Cobalt(0) carbonyls, 2237
Cobalt(I)
amide (NH_2^-) complexes, 1401
Cobalt(II)
acetate picolinate water complexes, 51
aluminophosphates, 819
azide complexes, 641
azole halide thiocyanate thioether complexes, 1965
bromide diphosphine complexes, 749
carboxylate morpholine piperazine piperidine complexes, 2345
carboxylate water complexes, 39
chloride pyridine complexes on silica gel, 2901
chloride siliconisothiocyanate complexes, 427
chloride tetramine - dioxime thiocyanate complexes, 1509
chloride, thiocyanate complexes on ion exchange media, 859
diaminopolycarboxylate complexes, 1365
diaminepolycarboxylate dicarboxylate complexes, 2693
diketonate pyridine complexes, 2743
dithiodipyridine halide complexes, 1545
oxo molybdenum(VI) complexes, 1675
phenoxide Schiff base copper(II) complexes, 2007
polyaminepolyphosphonate complexes, 453
pyridinedicarboxylate complexes, 745
Cobalt(II,III)
ammine arabinose hydroxide water complex, 2023
Cobalt(III)
acetonitrile halide oxyanion tetramine water complexes, 2389
acetonitrile halide polyamine complexes, 415
amine ammonia thiocyanate complexes, 775
aminoacid chloride diaminopolycarboxylate water complexes, 1205
aminoacid ethylendibiguanide complexes, 1015
ammine arabinose complex, 2023
azide complexes, 641
carbonate chloride edda water complexes, 2889
chloride phenoxide Schiff base copper(II) complexes, 2007
cyclopentadienyl salts, 1780
halide nitrile polyamine water complexes, 275
hexadentate complexes, 491
phenoxide salicylaldimine complexes, 2677
tetramine dioxime complexes, 1509
Conductimetric titrations
cobalt(II) bromide diphosphine complexes, 749
diaminopolycarboxylate complexes, 1365
phenylenediaminedisuccinate complexes, 2693
Controlled potential electrolysis
manganese(III) quinone complex, 1407
Copper
carbonyl sulphide disulphidothionitrate (NS_3^-) porphyrin complexes, 1447
Copper(I)
bromide phosphine complex, 1099
chloride complexes, 325
diimine catenand potassium complex, 1251
diisocyanide complexes, 317
polyselenide complexes, 1139
pyridine Schiff base complexes, 1321

Copper(I,II)
diisocyanide complexes, 317
Copper(II)
acetate oxime pyridine water complex, 1077
acetylsalicylate azole complexes, 2777
alcohol alkoxide azole halide thiocyanate complexes, 769
amide aminoacid hydroxide water complexes, 1
amidinoalkylurea complexes, 757
amine azole carboxylate complex, 659
amine chloride ketone complex, 991
amine halide theobromine complexes, 2593
aminoacid complexes, 1019
aminoacid salicylaldimine water complex, 2131
aminoacid sulphonyl complexes, 739
aminoethanethiol cystamine complexes, 2837
arsine halide methanol oxo phosphine stibine complexes, 2469
azide mepirizole thiocyanate complexes, 1523
azole chloride complex, 1345
azole dicyanamide tricyanomethyl complexes, 157
azole halide nitrate perchlorate complexes, 935
azole halide thiocyanate thioether complexes, 1965
azole thiocyanate complexes, 2313
biguanidine complexes, 7
carboxylate catecholate complexes, 2345
carboxylate morpholine piperazine piperidine complexes, 2395
chloride phenoxide Schiff base cobalt(II),(III) complexes, 2007
chloride polyamine pyridine complexes, 909
chloride pyridine complexes on silica gel, 2901
chloride silicon isothiocyanate complexes, 427
cyanamide dipyridyl complex, 2219
cyanate terpyridine complexes, 97
diamine hydroxide complex, 2645
diaminothioether halide complexes, 2749
dicarboxylates, 1239
dihydroxybenzoates, 647
diisocyanide complexes, 317
diketonates, 1549
diketonate ketoimine thiodiketonate complexes, 2305
dimethylglyoxime complexes, 2409
dithiodipyridine halide complexes, 1545
fluoride sulphate complexes, 457
hydroxide nitrate pyridone lanthanide complexes, 1531
hydroxide peptide complexes, 2463
hydroxide water binucleating complex, 2513
methoxide nitrate pyrrolidone mercury complex, 873
nitrate pyridine pyridine - *N*-oxide complex, 933
oxime complexes, 1957
oxime pyridine water complex, 301
polyaminepolyphosphonate complexes, 453
pyrazolinone - alkyldithioate complexes, 2723
pyridine salicylaldimine complexes, 2543
pyridinedicarboxylate complexes, 745
Copper(III)
aminoacid diamine nitrite complexes, 1227
aryl bromide diimine phosphine complex, 1039
diglycylethylenediamine oxime complexes, 2409
Crotonate, crotonic acid complexes
titanium(IV), 1846
Crown ether complexes
caesium, 879
lanthanum, 2029
potassium, 879,1251,2051
sodium, 879
thallium(I), 2115
uranium(VI), 2251
Cryptand complexes
barium, calcium, 1143
strontium, 1143,2797
Cubane clusters, review, 2843
Curium(III)
diketonate hydroxide complexes, 2071
Cyanamide complex, 2219
Cyanate complexes
copper(II), 97
Cyanide complexes
iron, 2627
iron(II), 361,419,941
iron(II,III),(III), 419
molybdenum, 1653,2897
molybdenum(IV), 1802
palladium(II), 897
platinum(II), 841,897
rhodium(I), 2415
ruthenium(II), 2091
silver(I), 361
tungsten(V), 2213
1-Cyano-2-(2,4,6-tri-t-butyl)phenyl-2-phosphaethene, 2087
Cyclic voltammetry
cadmium diamine malonate complexes, 2291
cobalt alkylidyne cyclopentadienyl hydride complexes, 1939
cobalt(III) chloride phenoxide Schiff base copper(II) complexes, 2007
cobalt(III) tetramine dioxime complexes, 1509
copper(I) pyridine Schiff base complexes, 1321
copper(II) amine azole

carboxylate complex, 6559
copper(II) chloride phenoxide Schiff base cobalt(III) complexes, 2007
copper(II) dimethylglyoxime complex, 2409
hafnium cyclopentadienyl halides, 1601
iron(0) carbonyl diene complexes, 479
iron(III) chloride Schiff base thiosemicarbazide complexes, 135
manganese(III) quinone complex, 1407
mercury thioether macrocyclic complex, 2041
metallocene alkali metal crown ether complexes, 879
molybdenum arylimide nitrosyl pyrazolylborate thiolate complexes, 1033
molybdenum complexes with multiply bonded ligands, 1653
molybdenum(II) azide nitrosyl pyrazolylborate thiocyanate complexes, 371
molybdenum(IV) cyclopentadienyl mercaptopyridine complexes, 2439
molybdenum(VI) imidazole oxo peroxide water complexes, 541
nickel(II) acetate polypyridine helical complex, 2551
nickel(II) methanol salicylaldimine complexes, 2321
nickel(II) salicylaldimine complexes, 113
rhenium(VI) alkylimido aryl complexes, 2657
ruthenium(II) arene chloride complex, 2803
ruthenium(II) diimine complexes, 2615
ruthenium(II) dioxime clathrochelates, 1391
ruthenium(III) carbonyl edta water complexes, 2199
ruthenium(III) chloride diketonate hydroxyketone phosphine complexes, 2813
silver(I) crown thioether complexes, 513
tungsten(IV) cyclopentadienyl mercaptopyridine complexes, 2439
vanadium(III),(IV) edta complexes, 1949
zirconium cyclopentadienyl halides, 1601
1,4-Cyclohexadiene complexes
iron(0), 479
1,4-Cyclohexadiene biepisulphide complexes, Cr(0), Mo(0), W(0), 887
1,2-Cyclohexanedione dioxime complexes, ruthenium(II), 1391
Cyclohexylisocyanide complexes
palladium(I), 1045
tungsten(II), 827
Cyclohexylthiolate
indium, 763
Cyclometallated complexes
nickel(II), 1069
niobium(V), 1607
palladium(II), 1485,2517,2725
tantalum(V), 1607
zirconium(III),(IV), 1758
1,5-Cyclooctadiene complex
iridium(I), 1431
platinum(0), 2521
platinum(II), 551
rhodium(I), 375,1431,1760
Cyclopentadienone complexes
molybdenum(0), 1810
Cyclopentadienyl complexes
chromium, 179,1135
cobalt, 1939
cobalt(III), 1780
hafnium, 1729
hafnium(III), 1774
hafnium(IV), 1774,2189
iron, 1135,1447
iron(0), 1471,2495
iron(II), 879,929,2265,2371, 2425,2459
lanthanides, 17,1007,1850,1983, 2109
lutetium, 1850
manganese, 1589
molybdenum, 179,2271
molybdenum(0), 2495
molybdenum(II), 1802,1859
molybdenum(III), 203
molybdenum(IV), 203,1589,1802, 1861,1863,1884,1999,2439
molybdenum(V), 1705
neodymium, 2109
nickel(II), 285,585
niobium(I), 1784
niobium(III), 2189
niobium(IV), 1762,1848
niobium(V), 1762,1784,1819,1848
platinum(II),(IV), 551
ruthenium(II), 879
samarium(II), 1007
tantalum(III), 2189
tantalum(V), 1729
titanium(0), 1611
titanium(III), 1780,1883
titanium(IV), 311,1729,1804, 1838,1844,2817
tungsten, 179,695,1807,2003, 2271
tungsten(0), 2495
tungsten(II), 1859
tungsten(III), 2035
tungsten(IV),1583,1861,1884, 2439
tungsten(VI), 1279
vanadium(II), 1784
vanadium(III), 1780,2763
vanadium(IV), 1784
ytterbium, 17,1983,2109
zirconium(III), 1758,1774,1882
zirconium(IV), 929,1601,1758, 1760,1774,2189
Cyclopentaphosphorus complexes
chromium, iron, 1135
Cyclotriphosphazenes, 1517
p-Cymene complexes
ruthenium(I), 2803
Cystamine complexes
copper(II), nickel(II), 2837
Cysteine, in ferrihydrite - goethite conversion, 149,2829

Cysteine complexes
cobalt(III), 1205
iron, 1865
vanadium(IV), 1745
Cytosine complexes
cadmium, mercury, zinc, 1093

D

Deuterium isotope effects, hydride cluster complexes, review, 383
Diacetamide complexes
cadmium, mercury, 1093
2,6-Diacetylpyridine Schiff base complexes, copper(I), 1321
Diallyl(phenyl)phosphine complexes
platinum(II), 897
Diaminato complexes
platinum(II), 143
Diamine complexes
cadmium, 2291
chromium(II), 1825
cobalt(III), 1227
copper(II), 2645
molybdenum, 2265
molybdenum(0), 1471
molybdenum(VI), 977
rhodium(III), 1163
ruthenium(II), 2091
thorium(IV), 977
tungsten(0), 1471
uranium(VI), 977,2251
1,4-Diaminobutane complexes
copper(II), 2645
3,3′-Diaminodipropylimido complexes, aluminium, 1279
Diaminopolycarboxylate complexes
barium, 2693
Ca, Cd, Co(II), 1365,2693
cobalt(III), 1205
Mg, Mn(II), Ni(II), 1365,2693
ruthenium(III), 463,2199
strontium, 2693
thorium, 109,2385
U(VI), W(VI), 109
zinc, 1365,2693
zirconium, 109
1,3-Diaminopropane complexes
cadmium, 2291
cobalt(III), 1227
1,3-Diaminopropane Schiff base complexes, Co(II),(III), Cu(II), 2007
Diarsine complexes
osmium(I), 1537
rhenium(II),(III), 1733
Diarsinoamido complexes
niobium(IV), 1767
Diazaphosphaphosphine complexes
platinum(0), 2485
2,10-Diaza-6-thiaundecane complexes, copper(II), 2749
Diazenide complexes
molybdenum(IV), 29
1,3-Diazinane-2-thione complexes
gold(I), 2823
Diazonium complexes
palladium(I), 1045
Dibromoacetate complexes
chromium(III), 2941
Dibromoacetic anhydride, 2941
3-(2,4-Dibromo-5-methylphenyl)-2,2′-dipyridyl complex, copper(III), 1039
Di-*n*-butylamine complexes
chromium(0), 2681
2,3,8,9-Di(2′,4′-*t*-butylbenzo)-1,4,7,10-tetrathiadecane complexes, rhodium(III), 613
4,4′-Di-*t*-butyl-2,2′-dipyridyl complexes
nickel(II), 585
platinum(II), 57
Di-*i*-butyldithiocarbamates
Re(IV), V(IV), 1625
Di-*n*-butyldithiophosphate
manganese(II), 1853
2,6-Di-*t*-butyl-4-methylphenoxide
zirconium, 1601
2,6-Di-*t*-butylphenoxides
uranium(IV), 1247
zirconium, 77,1601
Di-*t*-Butylphosphido complexes
molybdenum(IV), 1419
2,5-Di-*t*-butyl-1,3,4-triphosphacyclopentadienyl, 849,2407
Dicarbomethoxyacetylene, reaction with disulphide complexes, 1705
Dicarboxylates
cadmium, 2291
cobalt(II), 745,2693
cobalt(III), 2389
copper(II), 745,1239
hafnium, 1371
iron(III), 813
lanthanides, 2367
manganese(II), 745
molybdenum(VI), 977
nickel(II), 745,2693
thorium, 109,977
uranium, 977
zinc, 745,2693
zirconium, 109,977,1371
1,4-Dichlorobut-2-yne complexes
tungsten(II), 2587
2,4-Dichloro-5-methylphenylthio-acetate complexes, caesium, 793
Dicyanamide complexes
copper(II), 157
2,6-Dicyclohexylphenol, 1607
2,6-Dicyclohexylphenoxide
niobium(V), 1607
Dicyclohexylphosphine complexes
rhodium, 2565
Di(2,6-dimethoxyphenyl)phenylphosphine complexes, Ga, 1053
Diene complexes
iridium(I), 1431,2291
iron(0), 479
platinum(0), 2521
rhodium(I), 167,375,1431,1760
Dienolate complexes
molybdenum(VI), 2915
Diethoxy(ethyl)phosphine complexes
tungsten(0), 2671
Diethoxy(phenyl)phosphine complexes, rhenium(I), 1778
Diethylaminocarbyne complexes
tungsten(VI), 1285
Diethyldithiocarbamates
molybdenum, 1625
tin(IV), 2557
vanadium(IV), 1827
O,O′-Diethyldithiophosphates
bismuth(III), 483

manganese(II), 1853
Diethylenetriaminepentaacetate complexes, thorium, 2385
Diethylenetriaminepenta(methylenephosphonate) complexes,
cadmium, 453,2077
Co, Cr, Cu, Fe, 453
lead, 2077
nickel(II), 453
Diethylenetriamine-*N,N,N′,N′′*-tetraacetate-*N′′*-propionate complexes, lanthanides, 1425
Di(2-ethylhexyl)phosphoric acid complexes,
cadmium, 2535
iron(III), 2099
Differential pulse polarography
ruthenium(III) carbonyl edta water complexes, 2199
2,6-Diformyl-4-methylphenol Schiff base complexes, Co(II),(III), Cu(II), 2007
Diglycylethylenediamine complexes
copper(III), 2409
Dihydropyran complexes
samarium(II), 1007
Dihydroxybenzoates
copper(II), 641
3,4-Dihydroxy-3-cyclobutene-1,2-dione complex, iron(II), 1335
3,4-Dihydroxyphenylcarboxylates
copper(II), 2345
Diimine, reaction with phosphine, 1039
Diimine complexes
antimony(III), 2937
bismuth(III), 2937
chromium(III), 1453,1549
copper(I), 1251
copper(II), 1523,2219
copper(III), 1039
manganese(II), 1523,1853
molybdenum(0), 921,1471
molybdenum(IV),(IV,V), 123
nickel(II), 585,689,925,2649
osmium(II), 367
palladium(II), 1989,2209
platinum(II), 57,2209
rhenium(III), 1689
rhenium(V), 959
rhodium(III), 83
ruthenium(II), 1223,2615
technetium(II),(V), 1879
titanium(IV), 2893
tungsten(0), 827,1471
tungsten(II), 827
vanadium(III), 1723
zirconium, 77
1,2-Diiminobenzene complexes
molybdenum, 1033
2,3-Diiminonaphthalene, 9,10-diiminophenanthrene complexes
nickel, 2603
Diisocyanide complexes
copper(I),(I,II),(II), 317
manganese(II), zinc, 317
1,2-Diisocyanoethane complexes
copper(I),(I,II),(II), 317
Diketal complexes
molybdenum(VI), 2915
Diketonates
actinides, 1111,2071
cadmium, 2743
cerium(III), 1111
cobalt(II), 2743
copper(II), 1549,2305
europium(III), 1111,2071
lanthanides, 1111,2071
lanthanum, 1111,2071
lutetium, 2071
neodymium, 2183
nickel(II), 2305,2743
osmium(III), 2179
platinum(IV), 551
rhodium(II), 1117
ruthenium(III), 2179,2813
thorium(IV), uranium(VI), 1111
vanadium(IV), 1827,2611
zinc, 2305,2743
2,3-Dimercaptosuccinic acid, 2809
1,2-Dimethoxyethane complex
cerium(IV), 1001
5,6-Dimethoxyindenyl complexes
molybdenum(III),(IV), 203
2,6-Dimethoxyphenyl(diphenyl)phosphine complexes, gallium, 1053
Di(2[&4-]-methoxyphenyl)(phenyl)-phosphine complexes,
gallium, 1053
rhenium(I), 1778
Dimethylacetamide complexes,
Cd, Hg, Zn, 1093
Dimethylacetylenedicarboxylate complexes, Mo(0),(II), 1810
Dimethylamides
molybdenum(IV), 129,1419
phosphorus(V), 2623
zirconium, 1601
Dimethylamine complexes
molybdenum(III),(IV), 1971
rhodium(II), 1157
2-Dimethylaminoethyl(polyfluorophenyl)amido complexes,
platinum(II), 2943
Dimethylamino(phenyl)carbene complexes, Ru, 2351
3-Dimethylamino-1-propanethiolate
nickel(II), 1253
4-*N,N*-Dimethylaminopyridine complexes, Cd,Co,Ni,Zn, 2743
9,10-Dimethylanthracene, dioxygen halide complexes, 533
6,7-Dimethylbis(2′-pyridyl)quinoxaline complexes, Ru(II), 2615
1,3-Dimethylcyclopentadienyl complexes, zirconium, 1601
2,5-Dimethyl-2,5-diisocyanohexane complexes, Cu, Mn, Zn, 317
2,9-Dimethyl-4,7-diphenyl-1,10-phenanthroline complexes,
platinum(II), 57
4,4′-Dimethyl-2,2′-dipyridyl complexes
nickel(II), 585
platinum(II), 57
zirconium, 77
Dimethyldithiocarbamate complexes
tin(IV), 1413,2557
Dimethylformamide complexes
Cd, Hg, Zn, 1093
N,N-Dimethylfurancarboselenoamide complexes, palladium(II), 2517
N,N-Dimethylglycine complexes
phosphorus(V), 731
Dimethylglyoxime complexes
copper(II),(III), 2409

ruthenium(II), 851,1391
1,2-Dimethylimidazole complexes
copper(II), 2777
1,3-Dimethylimidazolidine-2-thione complexes, vanadium(IV), 87
2,9-Dimethyl-1,10-phenanthroline complexes,
manganese(II), 1853
palladium(II), 1989
2,6-Dimethylphenoxides
tantalum(V), 341
2,6-Dimethylphenylisocyanide complexes, Pt, 2271
molybdenum(0), 2599
platinum, 2271
Dimethyl(phenyl)phosphine complexes
molybdenum(II), 1756
molybdenum(IV), 1701,1756
nickel(II), 585,1069
palladium(II), 897,1989,2151
platinum(II), 835,897,1979,2215, 2507,2907
platinum(IV), 997
rhenium(V), 959
rhodium(III), 2689
ruthenium, 1123
tin(IV), 2047
tungsten(IV), 1701
tungsten(VI), 1870
Dimethyl(phenyl)silylmethyl complexes,
nickel(II), 585
platinum(II), 57
Dimethylpiperazine complexes
Co(II), Cu(II), Ni(II), 2395
2,6-Dimethylpyrazine complex
iron(II), 941
2,6-Dimethylpyridine complexes
platinum(II), 143
Dimethylsulphoxide, as nucleophile, 941
Dimethylsulphoxide complexes
ruthenium(II), 851
N,N,-Dimethyl-*N'*-tetrafluorophenylethane-1,2-diaminato complexes, platinum(II), 143
Dimethylurea complexes
Cd, Hg, Zn, 1093
Dinitrogen complexes
molybdenum, 1653
molybdenum(0), 1463
rhenium(I), 1778
tungsten, 1653
Diolate complexes
Mo(VI), Os(VI), U(VI), W(VI), 519
DIOP complexes
nickel(II), 2449
Dioxygen, covalent halide - hydrocarbon complexes, 533
Diphenylacetylene complexes
tungsten(II), 351,2587
Diphenylamido complexes
bismuth(III), 1579
1,1-Diphenyl-3-azabut-2-ene complexes, zirconium, 1601
Diphenylcarbazone complexes
molybdenum(VI), 677
Diphenyl(2-ethylphenyl)phosphine complexes, Rh(I), 2193
Diphenyl(ethyl)phosphine complexes
molybdenum(IV), 1701
Diphenylglyoxime complexes
ruthenium(II), 1391
Diphenylmethoxides
Cr(0), W(0), 653
Diphenyl(2[&4-]-methoxyphenyl)-phosphine complexes, gallium, 1053
Diphenylmethyl complexes
zirconium, 1601
Diphenyl(methyl)phosphine complexes
manganese, 1589
molybdenum(IV), 1261,1701
nickel(0), 13
palladium(II), 897
platinum(II), 433,835,897,1979, 2507
rhodium(III), 2689
tungsten(II), (IV), 1261
4,7-Diphenyl-1,10-phenanthroline complexes
nickel(II), 585
platinum(II), 57
Diphenylphenoxides
Nb(V), Ta(V), 1607
Diphenylphosphido complexes
manganese(I), 1855
molybdenum(IV), 1419
tungsten, 1807
Diphenylphosphine complexes
manganese(0), 1855
Diphenylphosphinoacetate complex
iron(II), 1503
Diphenylphosphinomethyls
zirconium(III), 1758
zirconium(IV), 1758,1760
1-Diphenylphosphinomethyl-*o*-carbaborane, palladium(II), 1485
1,3-Diphenyl-1,3-propanedionate
ruthenium(III), 2179
Diphenylthiocarbazone complexes
molybdenum(VI), 677
1,3-Diphenyltriazenides
Al, Ga, In, 1909
Diphenyl(2,4,6-trimethoxyphenyl)-phosphine complexes, gallium, 1053
Diphenyl(vinyl)phosphine complexes
Pd(II), Pt(II), 897
Diphosphanato complexes
hafnium(IV), zirconium(IV), 1774
Diphosphine complexes
aluminium, 1497
chromium, 179
chromium(II), 1821
cobalt(II), 749
iridium(III), 1945
iron, 179
molybdenum, 179,1595
molybdenum(0), 293,1463,1810, 2599
molybdenum(II), 1751,2599
molybdenum(III), 545
molybdenum(IV), 1870
nickel(0), 13,293
nickel(II), 25,585,1069
niobium(I), 1784
osmium(I), 1537
palladium(I), 1045
palladium(II), 25,835
platinum(II), 25,91,433,835, 1979,2169,2507
rhenium, 1595

rhenium(I), 1872
rhenium(II),(III),(IV), 1689
rhenium(V), 959,1689
rhodium(I), 1575,1760
ruthenium, 695
technetium(I), 1201
technetium(V), 1879
titanium(0), 1611
tungsten, 179,1595
vanadium(II),(IV), 1784
zirconium, 1601
Diphosphinoamido complexes
U(IV), V(III),Zr(IV), 1767
Diphosphinophosphido complexes
zirconium(IV), 1767
Dipicolinates
niobium(V), tantalum(V), 1371
Di-*i*-propyldithiophosphate
manganese(II), 1853
1,2-Di(*i*-propylimino)ethene
complexes, Mo(IV),(V), 123
Di-*i*-propylmethanolates
molybdenum(IV), 129
2,6-Di-*i*-propylphenylimido
complexes, tantalum(V), 341
2,2'-Dipyrazyl complexes
platinum(II), 57
Dipyridinium perchlorate, 1557
2,2'-Dipyridyl complexes
antimony(III), 2937
bismuth(III), 2937
bridging, 2209
chromium(III), 1453,1549
copper(II), 2219
manganese(II), 1853
molybdenum(0), 921,1471
nickel(II), 585,689,925
osmium(II), 367
palladium(II), 2209
platinum(II), 57,2209
rhenium(V), 959
rhodium(III), 83
ruthenium(II), 1223,2615
technetium(II),(V), 1879
titanium(IV), 2893
tungsten(0), 827,1471
tungsten(II), 827
vanadium(III), 1723
zirconium, 77
2,2'-Dipyrimidyl complexes
nickel(II), 585
platinum(II), 57
Dissociation constants
dimercaptosuccinic acid, 2809
Disulphide [RSSR]complexes
copper(II), 2837
nickel(II), 2321,2837
Disulphide [S_2^{2-}] complexes
molybdenum(IV), 2419
molybdenum(V), 1705
vanadium(IV), 1625
Disulphidothionitrato [S_3N^-]
complexes, Co, Cu, 1447
Disulphurdiimide complexes
platinum(II), 841
Dithiobis(ethylene) [&phenylene]-
bis(salicylaldimine) complexes,
nickel(II), 2321
Dithiocarbamates
antimony(III), bismuth(III),
indium, 1891
molybdenum(IV), 1625
molybdenum(V), 1817
nickel(II), 2637
rhenium(IV), 1625
tin(IV), 1413,1891,2557
vanadium(IV), 1625,1827
zinc, 1891
Dithiocarboxylates
indium, 633
4,4'-Dithiodipyridine complexes
Co(II), Cu(II), Ni(II), 1545
Dithiolates
molybdenum, 1033
molybdenum(IV), 1625
molybdenum(V), 669
titanium(IV), 2893
vanadium(III),(IV), 1723
Dithiophosphates
bismuth(III), 483
manganese(II), 1853
Di(2,4,6-trimethoxyphenyl)phenyl-
phosphine complexes, gallium,
1053
Divinyl(phenyl)phosphine
complexes, Pd(II), Pt(II), 897
Dysprosium
amine ferrocene Schiff base
complex, 2459
crown ether complex, 1561
cyclopentadienyl ether indenyl
complexes, 17
formylferrocene benzoylhydrazone
complex, 2105
nitrate pyridone water
copper(II) complexes, 1531
oxalate pyrazolylborate, 2367
phosphonate complexes, 1307
polyaminepolycarboxylates, 1425
proline water complexes, 2139

E

EHMO calculations,
cyclopentaphosphorus complexes,
1135
Electric conductance
amidinoalkylurea complexes, 757
cobalt(II) chloride tetramine -
dioxime thiocyanate complexes,
1509
cobalt(III) aminoacid ethylene-
dibiguanide complexes, 1015
cobalt(III) tetramine dioxime
complexes, 1509
iron(II) cyclopentadienyl
lanthanide complexes, 2459
iron(III) chloride Schiff base
thiosemicarbazide complexes,
135
lanthanide amine ferrocenyl
ketone Schiff base complexes,
2459
lanthanide chloride pyridine
pyrrole Schiff base water
complexes, 21
lanthanide formylferrocene
benzoylhydrazone complexes,
2105
palladium(I) chloride
diphosphine isocyanide
complex, 1045
palladium(II), platinum(II)
chloride Schiff base telluro-
ether water complexes, 2769

potassium catenand complex, 1251
pyridinedicarboxylate complexes, 745
ruthenium(II) diimine complexes, 2615
yttrium formylferrocene benzoylhydrazone complex, 2105
Electric conductance (solid state)
nickel arylamido iodide complexes, 2603
Electrochromism, Mo(IV), Zr(IV) phthalocyanines, 1631
Electron diffraction
magnesium hydroxide nitrate, 1061
tetrasulphur tetranitride, 2631
Electronegativity, from XPE spectra, 1233
Electronic spectra
aluminium edta fluoride thio complexes, 2057
antimony(III), bismuth(III) diamine halide complexes, 2937
chromium(0) carbonyl phosphine complex, 1099
chromium(0) carbonyl phosphonite molybdenum(II) complexes, 2339
chromium(III) chloride sulphonate thioether complexes, 1770
cobalt(II) aluminophosphates, 819
cobalt(II) azole halide thiocyanate thioether complexes, 1965
cobalt(II) bromide diphosphine complexes, 749
cobalt(II) carboxylate morpholine piperazine piperidine complexes, 2395
cobalt(II) chloride silicon isothiocyanate complexes, 427
cobalt(II) chloride, thiocyanate complexes on ion exchange media, 859
cobalt(II) dithiodipyridine halide complexes, 1545
cobalt(II) pyridinedicarboxylate complexes, 745
cobalt(II,III) ammine arabinose hydroxide water complex, 2023
cobalt(III) acetonitrile halide oxyanion tetramine water complexes, 2389
cobalt(III) aminoacid chloride diaminopolycarboxylate water complexes, 1205
cobalt(III) aminoacid ethylene-dibiguanide complexes, 1015
cobalt(III) ammine arabinose complex, 2023
cobalt(III) azide complexes, 641
cobalt(III) carbonate chloride edda water complexes, 2889
cobalt(III) chloride phenoxide Schiff base copper(II) complex, 2007
cobalt(III) halide nitrile polyamine water complexes, 275
cobalt(III) hexadentate complexes, 491
cobalt(III) phenoxide salicyl-aldimine complexes, 2677
copper(I) pyridine Schiff base complexes, 1321
copper(II) acetate oxime pyridine water complex, 1077
copper(II) acetylsalicylate azole complexes, 2777
copper(II) alcohol alkoxide azole halide thiocyanate complexes, 769
copper(II) amidinoalkylurea complexes, 757
copper(II) amine azole carboxylate complex, 659
copper(II) amine chloride ketone complex, 991
copper(II) aminoacid salicylald-imine water complex, 2131
copper(II) aminoacid sulphonyl complexes, 739
copper(II) arsine halide methanol oxo phosphine stibine complexes, 2469
copper(II) azide mepirizole thiocyanate complexes, 1523
copper(II) azole dicyanamide tricyanomethyl complexes, 157
copper(II) azole halide thiocyanate thioether complexes, 1965
copper(II) azole thiocyanate complexes, 2313
copper(II) biguanidine complexes, 7
copper(II) carboxylate morpholine piperazine piperidine complexes, 2395
copper(II) chloride phenoxide Schiff base cobalt(III) complex, 2007
copper(II) chloride polyamine pyridine complexes, 909
copper(II) chloride silicon isothiocyanate complexes, 427
copper(II) cyanamide dipyridyl complex, 2219
copper(II) cyanate terpyridine complexes, 97
copper(II) cystamine complexes, 2837
copper(II) diaminehydroxide complex, 2645
copper(II) diaminothioether halide complexes, 2749
copper(II) dihydroxybenzoates, 647
copper(II) fluoride sulphate complexes, 457
copper(II) hydroxide peptide complexes, 2463
copper(II) hydroxide water binucleating complex, 2513
copper(II) pyrazolinone-alkyldi-thioate complexes, 2723
copper(II) pyridine salicylald-imine complexes, 2543
copper(II) pyridinedicarboxylate complexes, 745
dioxygen halide hydrocarbon complexes, 533
gallium heteropolymolybdate, 2739
gallium, indium edta fluoride thio complexes, 2057
ion - exchange supported

complexes, 859
iridium(III) chloride pyridine complex, 2245
iron(0) carbonyl cyclopentadienyl mercury complexes, 1471
iron(II) alcohol hydroxide squarate complex, 1335
iron(II) cyanide hydrazine complexes, 419
iron(II) cyclopentadienyl lanthanide complexes, 2459
iron(III) chloride Schiff base thiosemicarbazide complexes, 135
iron(III) cyanide complex on ion exchange media, 859
iron(III) hexadentate complexes, 491
iron(III) phosphine thio complex, 801
iron(III) salicylhydroxamate complexes, 1477
lanthanide amine ferrocenyl ketone Schiff base complexes, 2459
lanthanide chloride pyridine pyrrole Schiff base water complexes, 21
lanthanide crown ether complexes, 1561
lanthanide formylferrocene benzoylhydrazone complexes, 2105
lanthanide proline water complexes, 2139
manganese(II) azole halide thiocyanate thioether complexes, 1965
manganese(III) acetate hydroxyketoimine oxo thiocyanate complexes, 1029
manganese(III) quinone complex, 1407
mercury azide complex, 2731
molybdenum(0) carbonyl diamine diimine halide pseudohalide mercury complexes, 1471
molybdenum(0,II) carbonyl phosphonite complexes, 2339
molybdenum(II) acetate acetonitrile thioether complexes, 1770
molybdenum(III) bromide diphosphine complex, 545
molybdenum(III),(IV) edta thio complexes, 2791
molybdenum(IV) oxo phthalocyanine, 1631
molybdenum(V) chloride oxo phosphine complex, 447
molybdenum(V,VI) methoxide oxo isopolyanion, 537
molybdenum(VI) carbazone chloride oxo thiocarbazone complexes, 677
nickel(II) amidinoalkylurea complexes, 757
nickel(II) aminoacid water complexes, 1329
nickel(II) aminodiphosphine chloride complexes, 25
nickel(II) arylamides, 2603
nickel(II) azole halide thiocyanate thioether complexes, 1965
nickel(II) carboxylate morpholine piperazine piperidine complexes, 2395
nickel(II) chloride polyamine pyridine complexes, 909
nickel(II) chloride pyridine complexes, 2283
nickel(II) chloride silicon isothiocyanate complexes, 427
nickel(II) cystamine complexes, 2837
nickel(II) diimine hydrazinecarbodithioate complexes, 925
nickel(II) diketonate pyridine complexes, 2743
nickel(II) dithiocarbamates, 2637
nickel(II) dithiodipyridine halide complexes, 1545
nickel(II) methanol salicylaldimine complexes, 2321
nickel(II) nitrosonaphthol complexes, 473
nickel(II) pyrazolinone-alkyldithioate complexes, 2723
nickel(II) pyridinedicarboxylate complexes, 745
oxo complexes, polynuclear, 219
palladium(II) aminodiphosphine chloride complexes
palladium(II) azoresorcinol hexamethylenetetramine hydroxide complexes, 197
palladium(II) diimine phosphine complex, 1989
platinum(II) alkyl diimine pyridine complexes, 57
platinum(II) aminodiphosphine chloride complexes, 25
platinum(II) arylamide diphosphine phosphine complexes, 2507
praseodymium(III) on ion exchange media, 859
rhodium(II) amine azole carboxylate pyridine complexes, 1157
rhodium(III) carbonate ethylenediamine hydroxide water complexes, 1163
rhodium(III) diamine thiocyanate complexes, 775
ruthenium(II) acetate arsine carbonyl carbonyl sulphide chloride hydride phosphine thio thiocarbonyl complexes, 1149
ruthenium(II) azole oxime phosphine piperidine pyridine sulphoxide complexes, 851
ruthenium(II) cyanide ethylenediamine complex, 2091
ruthenium(II) diimine complexes, 2615
ruthenium(II) phosphine pyridine quinone oxime complexes, 103
ruthenium(II,III) acetate phosphine oxide complexes, 2571
ruthenium(III) carbonyl edta

water complexes, 2199
ruthenium(III) chloride diketonate hydroxyketone phosphine complexes, 2813
silver(II) crown thioether complexes, 513
sodium hyponitrite, 2621
thallium(III) edta halide thio complexes, 2057
tungsten(0) carbonyl diamine diimine halide pseudohalide mercury complexes, 1471
tungsten(0) carbonyl dipyridyl phosphite complexes, 827
tungsten(0) carbonyl phosphonite molybdenum(II) complexes, 2339
tungsten(III) chloride complex reduction, 469
tungsten(V) hydroxyquinoline oxo thio complexes, 947
uranium(VI) oxo salicylhydrazone complexes, 2527
vanadium(IV) acetonitrile chloride oxo thione water complexes, 87
vanadium(IV) aminoacid oxo complexes, 1173
yttrium formylferrocene benzoylhydrazone complex, 2105
zirconium phthalocyanine, 1631
Electron microscopy
aluminophosphates, 819
antimonic acid - silicic acid core - shell particles, 2577
ferrihydrite conversions, 149, 2829
magnesium hydroxide nitrate, 1061
titanium(III) chloride, 1867
Electron transfer reactions, 563
Electrophilic addition, complexes of unsaturated ligands, review, 1595
Enthalpy of activation
acid dissociations, 2809
adsorption of complexes on silica gel, 2901
aquation, cobalt(III) polyamine complexes, 275
fluxional behviour, mercury ketoimines, selenoneimines, thioneimines, 569
isomerization, chromium(0), tungsten(0) carbonyl phosphine complexes, 2125
oxidation, ruthenium(III) carbonyl edta water complexes, 2199
redox, chromium(III) - manganese(III), 1874
redox, cobalt(II) - periodate, 51
redox, silver(III) - sulphite, 1299
substitution, chromium carbonyl, 2681
substitution, cobalt(III) halide polyamine complexes, 415
substitution, ruthenium(II) oxime phosphine complexes, 851
substitution, ruthenium(III) edta water complex, 463
thermal analysis, vanadium(IV) diketonate oxo pyridine complexes, 2611
Enthalpy of formation
iodoammonium salts, 2911
thorium(IV) aminopolycarboxylate complexes, 2385
thorium(IV), uranium(VI) oxo, aspartate complexes, 2233
Enthalpy of sublimation
cadmium, mercury, zinc amide cytosine halide phosphine oxide urea complexes, 1093
Entropy of activation
acid dissociations, 2809
adsorption of complexes on silica gel, 2901
aquation, cobalt(III) polyamine complexes, 275
fluxional behaviour, mercury ketoimines, selenoneimines, thioneimines, 569
isomerization, chromium(0), tungsten(0) carbonyl phosphine complexes, 2125
oxidation, ruthenium(III) carbonyl edta water complexes, 2199
redox, chromium(III) - manganese(III), 1874
redox, cobalt(II) - periodate, 51
redox, silver(III) - sulphite, 1299
substitution, cobalt(III) halide polyamine complexes, 415
substitution, ruthenium(II) oxime phosphine complexes, 851
substitution, ruthenium(III) edta water complex, 463
Entropy of formation
thorium(IV) aminopolycarboxylate complexes, 2385
thorium(IV), uranium(VI) oxo, aspartate complexes, 2233
Eosin, anion for strontium cryptand complex, 2797
Episulphide complexes
Cr(0), Mo(0), W(0), 887
Equilibrium constants, cobalt(II) bromide diphosphine complex formation, 749
Erbium
cyclopentadienyl ether indenyl complexes, 17
formylferrocene benzoylhydrazone complex, 2105
phosphonate complexes, 1307
polyaminepolycarboxylates, 1425
Erythritol complex
molybdenum(VI), 1571
ESR spectra
clay minerals pyrolyses, 2709
copper(I,II) diisocyanide complexes, 317
copper(II) acetate oxime pyridine water complex, 1077
copper(II) acetylsalicylate azole complexes, 2777
copper(II) amine azole carboxylate complex, 659
copper(II) aminoacid salicylaldimine water complex, 2131
copper(II) aminoacid sulphonyl

complexes, 739
copper(II) azide mepirizole thiocyanate complexes, 1523
copper(II) azole dicyanamide tricyanomethyl complexes, 157
copper(II) azole halide nitrate perchlorate complexes, 935
copper(II) azole halide thiocyanate thioether complexes, 1965
copper(II) biguanidine complexes, 7
copper(II) carboxylate catecholate complexes, 2345
copper(II) carboxylate morpholine piperazine piperidine complexes, 2395
copper(II) cyanamide dipyridyl complex, 2219
copper(II) cyanate terpyridine complexes, 97
copper(II) dihydroxybenzoates, 647
copper(II) diisocyanide complexes, 317
copper(II) hydroxide peptide complexes, 2463
copper(II) methoxide nitrate pyrrolidone mercury complex, 873
copper(II) polyaminepolyphosphonate, 453
iron acyl carbonyl complexes, 603
manganese(II) diisocyanide complexes, 317
manganese(II) doped in cadmium complex, 1913
molybdenum(V) chloride oxo pyrazolylborate, 1833
molybdenum(V) dithiocarbamate in zeolite, 1817
neodymium diketonate hydroxide complex, 2183
oxo complexes, 1830
rhenium(VI) alkylimido aryl complexes, 2657
ruthenium(III) chloride diketonate hydroxyketone phosphine complexes, 2813
silver(II) crown thioether complexes, 513
sodium phosphine oxide thiocyanate complex formation intermediates, 215
titanium(III) alkylamido phenyl complexes, 1457
titanium(III) chloride cyclopentadienyl complex, 1780
titanium(III) chloride ether complex, 2013
vanadium in nitrogenase, 1695
vanadium(IV) acetonitrile chloride oxo thione water complexes, 87
vanadium(IV) aminoacid oxo complexes, 1173
vanadium(IV) azole oxo complexes, 1835
vanadium(IV) diketonate dithiocarbamate oxo pyrazolylborate complexes, 1827
vanadium(IV) oxo Schiff base complexes, 1748
yttrium(0) arene complex, 1641
zirconium(III) chloride cyclopentadienyl ether phosphine complexes, 1882
zirconium(III) cyclopentadienyl hydride phosphinoalkyl complexes, 1758
Ester - alkyl complexes
tin(IV), 1413
1,2-Ethanedithiolate
molybdenum(IV), 1625
titanium(IV), 2893
vanadium(III),(IV), 1723
Ethanethiolates
iron, molybdenum, 1865
palladium(II), 2151
Ethanol complexes
molybdenum(IV), 29
vanadium(III), 1782
Ethene complexes
tungsten(IV), 1261
Ethenyldimethylsilylmethyl complexes, platinum(II), 433
Ether complexes
cerium(IV), 1001
lanthanides, 17,1001,1007,1850, 2109
molybdenum(0), 1857,2925
molybdenum(III), 545
samarium(II), 1007
tin(II), 2933
titanium(IV), 1838,2013
zirconium, 1717
zirconium(III), 1882
Ethoxides
molybdenum(IV), 29
niobium(V), 1848
rhenium(V), 559
1-Ethoxyphosphirane complexes
tungsten(0), 2671
Ethylamine complexes
copper(II), 2593
N,N'-Ethylenebis(2,4-pentanedioneiminato) complexes, molybdenum(IV), titanium(III), 1717
N,N'-Ethylenebis(salicylideneiminato) complexes,
titanium(IV), 1717
vanadium(III), 1782
vanadium(IV), 1753
Ethylenediamine complexes
molybdenum(0), 1471
rhodium(III), 1173
ruthenium(II), 2091
tungsten(0), 1471
Ethylenediamine-α-propionate complexes, cobalt(III), 1205
Ethylenediaminedi-*i*-butylate complexes, cobalt(III), 2889
Ethylenediamine Schiff base complexes, lanthanides, 2459
Ethylenediaminetetraacetate complexes
Al, Ga, In, 2057
molybdenum(III),(III,IV), 2791
ruthenium(III), 463,2199
thallium(III), 2057
thorium, 109,2385
titanium(III), 2883
Th, W(VI), U(VI), 109
vanadium(III),(IV), 1949

zirconium, 109
N,N'-Ethylenedibiguanide complexes
cobalt(III), 1015
N-Ethylglyoxylanilide oxime
complexes, Cu(II), Ni(II), 1957
2-Ethylhexylhydrogenphenylphos-
phonate complexes, Bi(III), Cd,
lanthanides, Zn, 1307
Ethylidyne complexes
cobalt, 1939
3-Ethyl-2,4-pentanedionate
ruthenium(III), 2179
Europium(III)
carboxylate pyrazolylborate, 555
crown ether complex, 1561
diketonate, 1111
diketonate hydroxide complexes,
2071
formylferrocene benzoylhydrazone
complex, 2105
polyaminepolycarboxylate, 1425
tetramine thiocyanate
macrocyclic complex, 2157
EXAFS
molybdenum(V) chloride oxo
complexes, 45
nitrogenases, 1649,1695

F

Fenske - Hall calculations, iron
carbonyl thio complex, 1885
Ferrihydrite, 149,2829
Ferrocenylformyl acetone Schiff
base complexes, lanthanides,
2459
Fluorescence, chromium(III)
dipyridyl complex, 1453
Fluorides and fluoro complexes
aluminium, 2057
cobalt(III), 275,415,2389
copper(II), 457
gallium, indium, 2057
phosphorus(V), 731
titanium(IV), 311
Fluoroenyl complexes
molybdenum(III),(IV), 203
2-[&3-,4-]Fluorophenoxides
zirconium, 845
Fluxional behaviour
benzyl complexes, 285
mercury ketoimines, selenon-
imines, thionimines, 569
nickel(II) alkyls, 585
platinum(II) alkenyl diphosph-
inoferrocene complex, 433
platinum(II) aminodiphosphine
chloride complexes, 25
polynuclear carbonyls, 2237
Force constants
Mo, W carbonyl phosphinyl
complexes, 627
Formation constants
actinide diketonate hydroxide
complexes, 2071
aluminium edta fluoride thio
complexes, 2057
beryllium aminoacid hydroxide
complexes, 2017
cadmium chloride phosphinate
phosphine oxide complexes,
2535
cadmium diamine malonate
complexes, 2291
cadmium, calcium vitamin D_3
complexes, 1953
cobalt(II) thiocyanate complex,
859
cobalt(III) azide complexes, 641
copper(II) amide aminoacid
hydroxide water complexes, 1
copper(II) aminoacid complexes,
1019
copper(II) aminoacid sulphonyl
complexes, 739
copper(II) carboxylate
catecholate complexes, 2345
copper(II) diamine hydroxide
complexes, 2645
copper(II) dicarboxylates, 1239
copper(II) dihydroxybenzoates,
647
copper(II) oxime complex, 1957
diaminepolycarboxylate
complexes, 1365
gadolinium phosphate complexes,
1315
gallium edta fluoride thio
complexes, 2057
group 2 tetracycline complexes,
189
indium edta fluoride thio
complexes, 2057
iron(III) malonate complexes,
813
iron(III) phosphonate complexes,
2099
iron(III) salicylhydroxamate
complexes, 1477
isopolyvanadates, 1800
lanthanide crown ether
complexes, 1561
lanthanide diketonate hydroxide
complexes, 2071
lanthanide polyaminepolycar-
boxylates, 1425
lanthanum chloride crown ether
complexes, 2029
neodymium hydroxide water
complexes, 2701
nickel(II) nitrosonaphthol
complexes, 473
nickel(II) oxime complexes, 1957
palladium(II) azoresorcinol
hexamethylene tetramine
complexes, 197
phenylenediaminedisuccinate
complexes, 2693
praseodymium hydroxide
complexes, 983
ruthenium(II) cyanide
ethylenediamine complex, 2091
thallium(I) crown ether
complex, 2115
thallium(III) edta halide thio
complexes, 2057
thorium aminopolycarboxylate
complexes, 2385
thorium aspartate complex, 2233
uranium(VI) amine crown ether
diamine oxo polyether
complexes, 2251
uranium(VI) aspartate oxo
complexes, 2233
vanadium(IV) aminoacid oxo

complexes, 1173,1745
zinc insulin complexes, 2065
Formylferrocene benzoylhydrazone complexes, lanthanides, yttrium, 2105
N-Formylleucinate, -phenylalaninate, -valinate complexes, nickel(II), 1329
Free energy of activation
acid dissociations, dimercaptosuccinic acid, 2809
adsorption of metal complexes on silica gel, 2901
fluxional behaviour, mercury ketoimines, selenonimines, thionimines, 569
substitution, ruthenium(III) edta water complex, 563
Free energy of formation
thorium aminopolycarboxylate complexes, 2385
Fulvalenide complexes
zirconium(III),(IV), 1758
Furan complexes
Ba, Ca, Sr, 1143
Furfuralkoxides, lanthanides, 2109

G

Gadolinium
amine ferrocenylketone Schiff base complex, 2459
formylferrocene benzoylhydrazone complex, 2105
nitrate pyridone copper(II) complexes, 1531
phosphate complexes, 1315
phosphonate complexes, 1307
polyaminepolycarboxylate, 1425
Gallium
chloride phosphine complexes, 1053
edta fluoride thio complexes, 2057
heteropolymolybdate, 2739
triaminetricarboxylate, 2481
triazenide, 1909
Gas sensors, 1615
Germanium
chloride thiocyanate complexes, 2641
organo compounds, book review, 1147
tetrafluoride dioxygen hydrocarbon complex, 533
Germyls, titanium(0), 1611
Glutamic acid complexes
copper(II), 1019
Glutarate, copper(II), 1239
Glycolate
molybdenum(VI), 977
Glycollates
niobium(V), tantalum(V), 1371
Glycylpeptide complexes
copper(II), 2463
Goethite, 149,2829
Gold
hydride phosphine iridium complex, 1903
Gold(I)
thiocyanate thione complexes, 2823

H

Haematite, 2829
Hafnium
cyclopentadienyl metallathiazenes, 1729
Hafnium(0)
arene carbonyl complexes, 1641
carbonyl triphosphine complexes, 1611
Hafnium(III)
alkylphosphido cyclopentadienyl complexes, 1774
Hafnium(IV)
alkylphosphido cyclopentadenyl diphosphonato triphosphonato complexes, 1774
alkoxide cyclopentadienyl methyl Nb(III) Ta(III) complexes, 2189
hydroxycarboxylate oxalate peroxide complexes, 1371
Helical complex, nickel(II), 2551
Heteropolymolybdate, 2739
Hexadentate complexes
cobalt(II),(III), 1509
yttrium, 1923
Hexafluoropentanedionates
Os(III), Ru(III), 2179
Hexamethylbenzene complexes
chromium, 1589
covalent halide dioxygen , 533
Hexamethyldisilthiane, 549
Hexamethylenetetramine complexes
palladium(II), 197
Hexamethylphosphoramide, 2623
Hexamethylphosphoramide complexes
cadmium, mercury, 1093
sodium, 215
zinc, 1093
1,4,7,10,13,16-Hexathiacycloctadecane complexes
molybdenum(0),(II), 505
silver(I),(II), 513
tungsten(0),(II), 505
1-Hexene, hydroformylation, 1760
Hexyl complexes
zirconium(IV), 1758
HF/6 -31G** calculations, boron - phosphorus compounds, 969
Histidine complexes
cobalt(III), 1015
molybdenum(VI), 2225
Holmium
cyclopentadienyl ether indenyl complexes, 17
formylferrocene benzoylhydrazone complex, 2105
polyaminepolycarboxylates, 1425
proline water complexes, 2139
"Hot" ions, 447
Hydrazide complexes
molybdenum(II), 1756
niobium(V), vanadium(IV), 1784
Hydrazine
from dinitrogen, 1463
oxidation, 419
Hydrazine complexes
iron(II),(II,III),(III), 419
Hydrazinecarbodithioate complexes
nickel(II), 925
Hydrazone complexes
uranium(VI), 2527

Hydride, migration to carbene
molybdenum(IV), 1863
review, 1583
Hydride complexes
arsenic(III), 1461
chromium(0), 653
cobalt, 1939
gold, iridium, 1903
iridium(III), 1945
manganese(I), 1855
molybdenum(II), 1751,1756,1802
molybdenum(IV), 1583,1701,1756, 1870,1884
niobium(V), 1607,1762
osmium(II), 1431
platinum, 2271
polynuclear, 383
rhenium(IV), 1689
rhodium(III), 613
ruthenium(II), 1149,1431
tungsten, 2271
tungsten(0), 653
tungsten(IV), 1583,1701,1884
tungsten(VI), 1870
zirconium(III), 1758
Hydrocarbons, dioxygen halide complexes, 533
Hydrocinnamate complexes
rhodium(II), 1157
Hydrodesulhpurisation, catalysis by molybdenum complexes, 1705
Hydroformylation, hexene, 1760
Hydrogen bonding, hydroxamic acids, 2255
Hydrogen chloride, reactions with phosphorus(V) complexes, 2623
Hydrogen sulphate complexes
cobalt(III), 2389
Hydrosulphide, carbaborane, 805
Hydrotelluride, 531
Hydrotris(3,5-dimethylpyrazolyl)-borate complexes
molybdenum, 1033,1675,1669
molybdenum(II), 371
molybdenum(V), 1833
vanadium(IV), 1827
zirconium, 845
Hydrotris(pyrazolylborate) complexes,
lanthanides, 2367
molybdenum, 2265
titanium(0), 1611
ytterbium, 117
Hydroxamate complexes
iron(III), 1477
molybdenum(IV), 29
Hydroxide complexes
americium(III), 2071
beryllium, 2017
cobalt(II,III), 2023
copper(II), 1,1531,2463,2513, 2645
curium(III), 2071
dysprosium(III), 1531
europium(III), 2071
gadolinium(III), 1531
iron(II), 1335
iron(III), 149,2829
La, Lu, 2071
magnesium, 1061
molybdenum(VI), 1387,2915
neodymium(III), 2183
palladium(II), 197
praseodymium(III), 983
rhodium(III), 1163
silver(III), 1299
titanium(IV), 1838
tungsten(VI), 1387,1675
vanadium(V), 1379
N-Hydroxyalkyldithiocarbamates
Bi(III),In,Sb(III),Sn(IV),Zn, 1891
Hydroxamic acids, 2255
Hydroxybenzylbenzimidazole complexes, copper(II), 769
Hydroxycarboxylates
Hf(IV), Nb(V), Ta(V), Zr(IV), 1371
N-(2-Hydroxyethyl)ethylenediamine-triacetate complexes,
thorium, 2385
titanium(III), 577
Hydroxyiminopentane-2,4-dionate complex, iron(II), 175
Hydroxyketoimine complexes
manganese(III), 1029
Hydroxyketone complexes
ruthenium(III), 2813
Hydroxylamine, reaction with $[W(CN)_8]^{3-}$, 2213
2-Hydroxy-1-naphthalidene Schiff base complexes
vanadium(IV), 1748
8-Hydroxyquinoline complexes
phosphorus(V), 731
tungsten(V), 947
2-Hydroxypyridine complexes
Cu(II), Dy(III), Gd(III), 1531
3-Hydroxypyridine complexes
Cd, Co, Ni, Zn, 2743
Hyponitrite, sodium, 2621
Hypophosphorus acid, 527

I

IEH calculations, boron phosphorus compounds, 969
Illite, thermal decomposition, 2709
Imidazidine-2-thione complexes
vanadium(IV), 87
Imidazole complexes
copper(II), 2777
molybdenum(VI), 541,2225
rhodium(II), 1157
vanadium(IV), 1835
Imidazoline-2-thione complexes
gold(I), 2823
Imide $[NH^{2-}]$ complexes
Mo, W, 1653
Iminato, phosphorane, complexes, review, 707
Imine complexes
aluminium, 1279
tantalum(V), 341
Iminoacyl complexes
rhenium(VII), 2657
tantalum(V), 341
Iminoalkene complexes
zirconium, 1601
Iminoarsines, 1461 ,2331
4-Imino-2-pentanonate complexes
copper(II), nickel(II), 2305
Iminophosphine, 379
Indazole complexes

Cu(II), Pd(II), 1345
Indenyl complexes
lanthanides, 17
molybdenum(III), 203
molybdenum(IV), 203,1861
titanium(0), 1611
tungsten(IV), 1861
Indium
alkyl thiolates, 763
amine dithiocarboxylate thioester complexes, 633
chloride triaminetricarboxylate complex, 2481
dithiocarbamates, 1891
edta fluoride thio complexes, 2057
pyridine selenophenoxide thiophenoxide complexes, 865
triazenide, 1909
Inner sphere processes, 563
Insulin complexes
zinc, 2065
Iodate complex
beryllium, 357
Iodic acid, 357
Iodides and iodo complexes
antimony(III), bismuth(III), 2937
cadmium, 1093
chromium(II), 1821
cobalt(II), 1545
copper(II), 769
mercury, 1085,1093
molybdenum(0), 1471
molybdenum(IV), 1802,1861
nickel(II), 1545,2603
niobium(IV),(V), 1848
palladium(II), 897,1485
phosphorus(V), 1445
platinum(II), 143,897,2943
rhodium(III), 1085
thallium(III), 2057
tungsten(0), 1471
tungsten(II), 351,2587
tungsten(IV), 1861
tungsten(VI), 1285
vanadium(III), 1782
zinc, 1093
Iodoammonium salts, 2911
Ion exchange media, metal complexes in, 859
IR spectra
acetaldehyde cmplex, 1261
acetone solvate, 1045
acyls, 603
alcohol complex, 1335
aldehyde complexes, 2109
alkoxides, 1213,1571,2893,2915
alkyls, 57,585,1413
alkylimido complexes, 2657
alkyne complexes, 351
allyls, 203,2599
amide complexes, 1
amidinoalkylurea complexes, 757
amido($RCONH^-$) complexes, 581
amido(RNH^-) complexes, 1979
amine, 1045
amine complexes, 491,633,1971, 2395,2459,2593,2837
aminoacid complexes, 1,739,1205
aminoacid Schiff base complexes, 2131
ammines, 2023
arsine oxide complexes, 109
aryls, 17,1339
arylamido complexes, 2507,2603
arylimide complexes, 1033
azide complexes, 371,1471
azole complexes, 371,541,659, 769,935,1345,1523
borates, 1567
bromides, 203,935,1545,2593
carbazone complexes, 677
carbohydrate complexes, 2023
carbonyls, 167,179,351,505,597, 603,627,653,695,827,917,1085, 1149,1261,1285,1351,1447,1471, 1503,1537,1804,1857,2035,2119, 2193,2265,2271,2371,2495,2587, 2719
carbonyl intermediates, 1637
carbonyl sulphide complexes, 1149,1447
carboxylates, 143,167,597,659, 745,977,1029,1077,1085,1157, 1503,1537,1751,1844,1923,2131, 2395,2571,2777,2915
carboxymethyls, 597
carbyne complexes, 1285
chlorides, 29,87,91,135,143,161, 211,909,935,991,1045,1085, 1149,1345,1545,2013,2179,2245, 2517,2593,2599,2769,2813
clathrochelates, 1391
cyanamide complex, 2219
cyanate complexes, 97
cyanide complexes, 841,1802,2091
cyclopentadienyls, 1447,1810, 1844,2109,2371,2439
diaminato complexes, 143
diamine complexes, 2091
diazenide complexes, 29
dicarboxylates, 109,2367
dicyanamide complexes, 157
diene complexes, 167
diimine complexes, 925,2615
diisocyanide complexes, 317
diketal complexes, 2915
diketonates, 1111,2179,2183, 2305,2813
diolate complexes, 519
dioxime complexes, 1391
disulphide complexes, 2321,2419
disulphidothionitrate, 1447
disulphurdiimide complexes, 841
dithiocarbamates, 1413,1891, 2557,2637
dithiocarboxylate complexes, 633
edta complexes, 109
esters, 2557
ether complexes, 2109
ethylenedibiguanide complexes, 1015
fluorides, 457
guanyl complexes, 1015
heterocyclic S, Se, Te compounds, 2817
heteropolymolybdate, 2739
hexafluorophosphates, 491,1945, 2439,2571
hydrates, 457,739,745,935,1217, 2091
hydrazinecarbodithioates, 925
hydrazone complexes, 2105
hydrides, 613,1149,1461,1751, 1945

hydroxamate complexes, 29
hydroxide complexes, 1,1061, 1335,2023
hydroxyiminopentanedionate, 175
hydroxyketoimine complexes, 1029
hydroxyketone complexes, 2813
hydroxyquinoline complexes, 947
iminoarsines, 1461,2331
iminophosphine, 379
iodate complexes, 357
iodides, 1545
isocyanide complexes, 1045,1285, 1802
ketoimine complexes, 491,2305
ketone complexes, 2459
macrocyclic complexes, 1243
mercaptopyridine complexes, 2439
nitrates, 689,935,1061,1217
nitrile complexes, 87,311,1045, 2193,2389,2587
nitroaromatics, 2507
nitrosyls, 371,1033,1447,2897
nitroxyimines, 1461
oxime complexes, 1077,1391,1509
oxo complexes, 87,109,240,375, 519,537.541,597,669,677,947, 959,977,1029,1213,1379,1571, 1753,1782,1810,2469,2527,2915
perchlorate, 935
peroxo complexes, 109,541,977, 1371,1379
phenoxide complexes, 2513
phenylhydrazine complexes, 29
phosphaalkene, 2087
phosphazenes, 1517
phosphine, 379
phosphine complexes, 161
phosphine oxide complexes, 109, 977,1983,2571
phosphinyl complexes, 627
phosphorane iminato complexes, 720
polyamine complexes, 1509
polyaminepolyphosphonates, 453
purine complexes, 2593
pyrazolylborate complexes, 371, 1033
pyrazolinone - alkyldithioate complexes, 2723
pyridines on silica gel, 2901
pyridine complexes, 21,211,977, 1217,1321,1545,2245,2543,2743
pyridinedicarboxylates, 745
pyridine-*N*-oxide complexes, 977
pyrrole complexes, 21
quinone oxime complexes, 103
salicylidene complexes, 135,491
Schiff base complexes, 21,135, 491,1217,1321,1509,1753,1923, 2131,2157,2459,2513,2527,2755, 2769
selenoamide, 2517
silicon isothiocyanate complexes, 427
squarate, 1335
sulphates, 457
sulphonyl complexes, 739
sulphurdiimide complexes, 91
sulphur dioxide complexes, 1447
tetrafluoroborate, 1045
tetraphenylborate, 1045
thio complexes, 947
thiocarbazone complexes, 677
thiocarbonyl, 1149
thiocyanates, 775
thiocyanate complexes, 371,769, 1029,1471,1523,2157,2313,2823
thiodiketonates, 2305
thioester complexes, 633
thioether complexes, 505
thiolates, 2893
thione complexes, 87,1103,2823
thionitrosyls, 1447
thionylimino complexes, 835
thiosemicarbazide complexes, 135,2371
thiosemicarbazone complexes, 2371
triamine complexes, 2333
triazenides, 1909
tricyanomethyl complexes, 157
trifluoromethyl compound,379
water complexes, 1,87,357,2023, 2131,2769

Iridium
chloride hydride triphosphine gold complex, 1903

Iridium(I)
amidodiphosphine butadiene complex, 2291
carbonyl perchlorate phosphine complex, 121
diene phosphine complexes, 1431

Iridium(III)
chloride pyridine complex, 2245
diphosphine hydride complex, 1945
halide pyridine complexes, 211

Iron
alkoxide carbonyl thio tungsten complex, 127
alkylidyne carbonyl diphosphine seleno selenoacyl thio thioacyl heterobinuclear complexes, 179
carbonyl thio complex, 1885
chloride cysteinate thio thiolate molybdenum complexes, 1865
cyanide nitrosyl complex, 2627
cyclopentadienyl nitrosyl porphyrin sulphur dioxide thionitrosyl complexes, 1447

Iron(0)
acyl carbonyl complexes, 603
carbonyls, 2237
carbonyl cyclopentadienyl antimony complexes, 2495
carbonyl cyclopentadienyl mercury complexes, 1471
carbonyl diene complexes, 479

Iron(I)
amide (NH_2^-) complexes, 1401

Iron(II)
alcohol hydroxide squarate complex, 1335
bromide carbonyl cyclopentadienyl complex, 2425
carbonyl carboxylate phosphine complex, 1503
carbonylcyclopentadienyl thiosemicarbazide thiosemicarbazone complexes, 2367
cyanide hydrazine complex, 419
cyanide nitrosyl complexes, 361
cyanide pyrazine complex, 941
cyclopentadienyl complex, 929
cyclopentadienyl alkali metal

complexes, 879
cyclopentadienyl cyclopenta-phosphorus complexes, 1135
cyclopentadienyl lanthanide complexes, 2105,2459
cyclopentadienyl molybdenum platinum complexes, 2265
cyclopentadienyl yttrium complexes, 2105
hydroxyiminopentane-2,4-dionate complex, 175
polyaminepolyphosphonate complexes, 453
Iron(III)
chloride complex, 1293
chloride Schiff base thiosemicarbazide complexes, 135
cyanide complex, on ion exchange media, 859
hexadentate complexes, 491
hydroxide oxide, 149,2829
malonate complexes, 813
mixed metal oxides, 1615
oxo molybdenum(VI) complexes, 1675
phosphine thio complex, 801
phosphonate complexes, 2099
salicylhydroxamate complexes, 1477
Isocyanide complexes
electrophilic addition, 1595
molybdenum(0), 2599
molybdenum(II), 1762,1786
molybdenum(IV), 1802
palladium(I), 1045
platinum, 2271
platinum(II), 551
rhenium(I), 1778
titanium(IV), 1838
tungsten(II), 827,1786
tungsten(IV), 1261
tungsten(VI), 1285
Isoindoline complexes
molydenum(II), 2359
Isonitrosoketone oxime complexes
cobalt(II),(III), 1509
Isopolymolybdate, 537
Isopolyvanadates, 1800
Isotope effects, hydride cluster complexes, review, 383

J

Jaeger complexes
nickel(II), 1243
Jahn - Teller effect, second - order, in clusters, 1933

K

Ketoimine complexes
cobalt(III), 491
copper(II), 2305
mercury, 569
molybdenum(IV), 1717
nickel(II), 2305
titanium(III), 1717
Ketone complexes
copper(II), 991
lanthanides, 2459
Ketophosphonate complexes
uranium(VI), 1357
Kinetic deuterium isotope effects, hydride cluster complexes, review, 383
Kinetic studies
complexation, iron(II) hydroxy-iminopentanedionate complex, 175
complexation, iron(III) salicyl-hydroxamate complexes, 1477
complexation, molybdenum(VI) histidine imidazole oxo complexes, 2225
dissociation, ruthenium(II) cyanide ethylenediamine complex, 2091
ferrihydrite conversions, 149, 2829
fluxional behaviour, mercury ketoimines, selenoneimines, thioneimines, 569
hydrolysis, cobalt(III) polyamine complexes, 275
isomerisation, chromium(0), tungsten(0) carbonyl phosphine complexes, 2125
oxidation, ruthenium(III) carbonyl edta water complexes, 2199
radiation effects, molybdenum(V) chloride oxo phosphine complex, 447
redox, bromine - titanium(III) edta, water complexes, 2883
redox, chromium(III) - manganese(III), 1874
redox, cobalt(II) - periodate, 57
redox, copper(II) dimethylgly-oxime - copper(III) diglycyl-ethylenediamine complexes, 2409
redox, $[Fe(CN)_5]^{3-}$ - hydrazine, 419
redox, molybdenum edta thio complexes - bromate, vanadium(V), 2791
redox, ruthenium(II,III),(III) - titanium(III), 577
redox, silver(III) - sulphite, 1299
substitution, chromium carbonyl - amine reactions, 2681
substitution, cobalt(III) halide polyamine complexes, 415
substitution, iron(II) cyanide pyrazine complex, 941
substitution, rhodium(III) carbonate ethylenediamine hydroxide water complexes, 1163
substitution, ruthenium(II) acetonitrile dipyridyl nitrate pyridine complexes, 1223
substitution, ruthenium(II) oxime phosphine complexes, 851
substitution, ruthenium(III) edta water complex, 463
thermal analysis, vanadium(IV) diketonate oxo pyridine complexes, 2611
Kojic acid complexes
ruthenium(III), 2813

L

Lanthanides
alkyl cyclopentadienyl chloride ether complexes, 1850
amine ferroceneketone Schiff base complexes, 2459
carboxylate pyrazolylborates, 555
chloride crown ethercomplexes, 2029
chloride pyridine pyrrole Schiff base water complexes, 21
coordination numbers, 2431
crown ether complexes, 1561
cyclopentadienyl ether indenyl complexes, 17
cyclopentadienyl furfuralkoxide salicylaldehydate complexes, 2109
diketonate hydroxide complexes, 2071
diketonate water complexes, 1111
formylferrocene benzoylhydrazone complexes, 2105
nitrate pyridone water copper(II) complexes, 1531
oxalate pyrazolylborate, 2367
phosphonate complexes, 1307
polyaminepolycarboxylate, 1425
proline water complexes, 2139
tetramine thiocyanate macrocyclic complex, 2157
Lanthanum
alkyl cyclopentadienyl ether complexes, 1850
amine ferroceneketone Schiff base complex, 2459
chloride crown ether complexes, 2029
crown ether complex, 1561
diketonate hydroxide complexes, 2071
diketonate water complex, 1111
formylferrocene benzoylhydrazone complex, 2105
phosphonate complexes, 1307
polyaminepolycarboxylate, 1425
Lapachol complex
manganese(III), 1407
Lead(II)
polyaminepolyphosphonates, 2077
tetraselenide complex, 1995
Leden's function, cobalt(III) azide complexes, 641
Lepidocrocite, 2829
Leucine complexes
cobalt(III), 1015
Ligand effective radius, f-block elements, 2431
Ligand synthesis
amidinoalkylureas, 757
amine thioether macrocycle, 2951
binucleating pentadentate, 2513
bis(imidazolyl)amine, 659
bis(triaza)diphosphine, 2485
clathrochelates, 1391
diacetylpyridine Schiff bases, 1321
diaminate (1-), 143
diaminepolycarboxylic acid, 1365
diaminothioether, 2749
diketones, 1549
diphosphines, 293
dithiocarbamates, 2637
ethylenediaminedicarboxylate, 2889
furan Schiff base cryptand, 1143
Jaeger complexes, 1243
pentaoxapentaphosphirane, 2719
phosphinoalkylamines, 1339
phosphirane, 2671
selenoamide, 2517
silylsulphurdiimides, 91
tetrahydroxyfurane, 1213
Lutetium
alkyl cyclopentadienyl chloride ether complexes, 1850
amine ferroceneketone Schiff base complex, 2459
carboxylate pyrazolylborates, 555
diketonate hydroxide complexes, 2071
formylferrocene benzoylhydrazone complex, 2105
oxalate pyrazolylborate, 2367
polyaminepolycarboxylate, 1425
3,5-Lutidine complexes
vanadium(IV), 2611
Lyxose complexes
Mo(VI), W(VI), 333

M

Macrocyclic complexes
Co(II),(III), Cu(II), 2007
europium, 2157
mercury, 2041
molybdenum(0), 1857
nickel(I), 1243
silver(I), 2951
yttrium, 1217,1923,2157
Magnesium
aluminophosphates, 819
diaminopolycarboxylate complexes, 1365,2693
hydroxide nitrate, 1061
tetracycline complexes, 189
Magnetic moments
chromium(II) diphosphine halide complexes, 1821
chromium(II) thiocyanate thiourea complex, 1825
cobalt(II) carboxylate morpholine piperazine piperidine complexes, 2395
cobalt(II) chloride silicon isothiocyanate complexes, 427
cobalt(II) chloride tetramine - dioxime thiocyanate complexes, 1509
cobalt(II) dithiodipyridine halide complexes, 1545
cobalt(II) oxo molybdenum(VI) complexes, 1675
cobalt(II) pyridinedicarboxylate complexes, 745
cobalt(II,III) ammine arabinose hydroxide water complex, 2023
copper(I,II), diisocyanide complexes, 317
copper(II) acetylsalicylate azole complexes, 2777
copper(II) alcohol alkoxide

azole halide thiocyanate complexes, 769
copper(II) amidinoalkylurea complexes, 757
copper(II) amine azole carboxylate complex, 659
copper(II) amine theobromine complexes, 2593
copper(II) aminoacid salicylaldimine water complex, 2131
copper(II) azide mepirizole thiocyanate complexes, 1523
copper(II) azole dicyanamide tricyanomethyl complexes, 157
copper(II) carboxylate morpholine piperazine piperidine complexes, 2395
copper(II) chloride, polyamine pyridine complexes, 909
copper(II) chloride silicon isothiocyanate complexes, 427
copper(II) diaminothioether halide complexes, 2749
copper(II) diisocyanide complexes, 317
copper(II) dithiodipyridine halide complexes, 1545
copper(II) fluoride sulphate complexes, 457
copper(II) pyridinedicarboylate complexes, 745
iron(II) alcohol hydroxide squarate complex, 1335
iron(III) hexadentate complexes, 491
iron(III) oxo molybdenum(VI) complexes, 1675
lanthanide chloride pyridine pyrrole Schiff base water complexes, 21
manganese(II) azide mepirizole thiocyanate complexes, 1523
manganese(II) diisocyanide complexes, 317
manganese(II) pyridinedicarboxylate complexes, 745
nickel(II) aminoacid water complexes, 1329
nickel(II) aminodiphosphine complexes, 25
nickel(II) carboxylate morpholine piperazine piperidine complexes, 2395
nickel(II) chloride, polyamine pyridine complexes, 909
nickel(II) chloride silicon isothiocyanate complexes, 427
nickel(II) diimine nitrate water complexes, 689
nickel(II) dithiodipyridine halide complexes, 1545
nickel(II) methanol salicylaldimine complexes, 2321
nickel(II) pyridinedicarboxylate complexes, 745
niobium(I) arene complexes, 1641
oxo complexes, 237
polyamine polyphosphonate complexes, 453
ruthenium(II,III) acetate phosphine oxide complexes, 2571
titanium(III) alkylamido phenyl complexes, 1457
titanium(III) chloride ether complex, 2013
tungsten(V) hydroxyquinoline oxo thio complexes, 947
vanadium(III) alkylamido phenyl complexes, 1457
vanadium(III) aryl chloride methyl phosphinoalkylamide complexes, 1339
vanadium(III) cyclopentadienyl thio complex, 2763
Malate complexes
Hf, Nb, Ta, Zr, 1371
Malonate complexes
cadmium, 2291
cobalt(II), 2693
copper(II), 1239
iron(III), 813
molybdenum(VI), 977
nickel(II), 2693
uranium(VI), 977
zinc, 2693
Maltol complexes
ruthenium(III), 2813
Manganese
carbene carbonyl cyclopentadienyl phosphine phosphinidene phosphite silyl vinylidene complexes, 1589
Manganese(0)
carbonyl phosphine complexes, 1855
Manganese(I)
carbonyl hydide phosphido complexes, 1855
Manganese(II)
aluminophosphates, 819
azide mepirizole thiocyanate complexes, 1523
azole halide thiocyanate thioether complexes, 1965
diaminopolycarboxylate complexes, 1365,2693
diimine dithiophosphate complexes, 1853
diisocyanide complexes, 317
doped in cadmium complex, 1913
pyridinedicarboxylate complexes, 745
Manganese(III)
acetate hydroxyketoimine oxo thiocyanate complexes, 1029
oxidation of chromium(III), 1874
quinone complex, 1407
Mannose complexes
molybdenum(VI), 333
Mass spectra
alkali metal crown ether metallocene complexes, 879
amide (NH_2-) complexes, 1401
chromium(0) arene complexes, 1641
cobalt alkylidyne cyclopentadienyl hydride complexes, 1939
cobalt(III) hexadentate complexes, 491
field desorption, 1939
heterocyclic S, Se, Te compounds, 2817
iminophosphine, 379
iron(II) cyclopentadienyl complexes, 2459

iron(III) hexadentate complexes, 491
lanthanide cyclopentadienyl ether indenyl complexes, 17
lanthanide cyclopentadienyl furfural oxide salicylaldehydate complexes, 2109
lanthanide oxalate pyrazolylborate, 2367
metallocene alkali metal crown ether complexes, 879
molybdenum arylimide nitrosyl pyrazolylborate thiolate complexes, 1033
molybdenum(0) carbonyl macrocyclic aminoether complex, 1857
molybdenum(0) carbonyl cyclopentadienyl antimony complexes, 2495
molybdenum(0) diphosphine complexes, 293
molybdenum(II) nitrosyl pyrazolylborate thiocyanate complexes, 371
nickel(0) carbonyl diphosphine complexes, 293
nickel(0) carbonyl phosphine complexes, 1351
nickel(II) acetate polypyridine helical complex, 2551
niobium(V) alkylimide chloride cyclopentadienyl complex, 1819
nitroxyiminoarsines, 1461
phosphacyclopentadienyls, 849
platinum(II) arylamide diphosphino phosphine complexes, 2507
potassium catenand complex, 1251
rhodium(I) carbonyl chloride phosphine complexes, 2193
rhodium(III) chloride hydride phosphine thioether thiolate complexes, 613
technetium(I) diphosphine phosphite complexes, 1201
tin(IV) methyl salicylaldimine complexes, 2755
tungsten(0) carbonyl cyclopentadienyl antimony complexes, 2495
tungsten(VI) carbonyl carbyne cyclopentadienyl iodide isocyanide complexes, 1285
MCD spectra
vanadium in nitrogenase, 1695
Mepirizole complexes
copper(II), manganese(II), 1523
Mercaptoacetate, Mo(V), 669
2-Mercaptobenzthiazole complexes
antimony(III), 581
2-Mercaptopyridine complexes
Mo(IV), W(IV), 2439
Mercury
amide cytosine halide phosphine oxide urea complexes, 1093
azide complex, 2731
cadmium borates, 1567
chloride nitrate pyrrolidone cadmium zinc complexes, 1913
halide phenyl rhodium(III) complexes, 1085
iron(0) molybdenum(0) tungsten(0) complexes, 1471
ketoimines, 569
polyselenide complexes, 1995
pyrrolidone Cu(II) complex, 873
reactions with thiocyanate complexes, 775
selenoneimines, 569
thioether macrocyclic complex, 2041
thioneimines, 569
2,4,6-Mesityl complexes
nickel(II), 285
rhenium(VI),(VII), 2657
titanium(III), 1717
Mesitylene complexes
chromium, 1589
dioxygen halides, 533
2,3,6-Mesitylmethyls
zirconium(IV), 1601
Metallaheterocycles
review, 1729
titanium(IV), 2817
Metallaphosphazenes,1729,1736
Methanol complexes
copper(II), 2469
nickel(II), 2321
vanadium(III), 1782
Methionine complexes
beryllium, 2017
Methionine Schiff base complexes
copper(II), 2131
Methoxides
copper(II), 873
molybdenum(V), 669
molybdenum(V,VI), 537
molybdenum(VI), 2915
niobium(V), 1848
osmium(VI), 597
zinc, 1913
2-Methoxyethyl ether complexes
molybdenum(0), 2925
2-Methoxyindenyl complexes
molybdenum(III),(IV), 203
2-Methoxysalicylideneiminobenzene, 1897
Methyls
aluminium, 831,1279,1497
hafnium(IV), 2189
molybdenum(II), 1804,2599
molybdenum(IV), 1802
niobium(V), 1607
platinum(II),(IV), 551
rhenium(V), 959
rhodium(III), 2689
silicon, 427
tantalum(V) 341,1607
tin(IV), 1753,2047,2755
titanium(IV), 1717,1838
tungsten(II), 1804
vanadium(III), 1339,1767
zirconium(IV), 77,1601,2189
Methylcyclopentadienyl complexes
cobalt, 1939
manganese, 1589
molybdenum(III),(IV), 203
zirconium(IV), 1601
S-Methylcysteine complexes
cobalt(III), 1205
Methyleneamido complexes
Mo, Re, W, 1595
Methylenebis[diphenylphosphine oxide] complexes, Mo(0), W(0), 627

S-Methylhydrazinecarbodithioate
complexes, nickel(II), 925
1-Methylimidazole complexes
copper(II), 2777
ruthenium(II), 851
2-Methylimidazole complexes
antimony(III), 581
rhodium(II), 1157
Methylimide complexes
niobium(V), 1819
2-Methylindenyl complexes
molybdenum(III),(IV), 203
Methylisocyanide complexes
molybdenum(II),(IV), 1802
platinum(II), 551
rhenium(I), 1778
Methylisonicotinate complexes
Cd, Co, Ni, Zn, 2743
4-Methylmorpholine complexes
Co, Cu, Ni, 2395
4-Methyl-2-nitrophenyldiazonium
complexes, Pd(I), 1045
3-Methyl-2,4-pentanedionates
ruthenium(III), 2179
2-Methyl-2-phenylpropyl complexes
nickel(II), 585,1069
Methylpiperazines, methylpiperid-
ines complexes, Co,Cu,Ni, 2395
2-Methyl-2-(2'-pyridyl)ethylcyclo-
pentadienyls
Mo(II), Ti(IV), W(II), 1804
N-2-(Methylpyridyl)-5-methoxysali-
cylaldiminates, Cu(II), 2543
3-Methyl-2-pyrrolidone complex
copper(II), mercury, 873
2-Methylquinoline complexes
tungsten(V), 947
2-Methylthiobenzenethiolate
complexes, Rh(III), 627
Methylthiocarbaboranes, 805
Methyltriazopyrimidine complexes
copper(II), 2313
Methylurea complexes
Cd, Hg, Zn, 1093
Microscopy, titanium(III)
chloride, 1867
Modulus of rupture, aluminium
chromium(III) oxide, 1765
Moessbauer spectra
clay minerals pyrolysis, 2709
iron(II) alcohol hydroxide
squarate complex, 1335
iron(II) carbonyl cyclopentadi-
enyl thiosemicarbazide thio-
semicarbazone complexes, 2371
iron(II) cyclopentadienyl
lanthanide complexes, 2459
iron(III) hexadentate complexes,
491
tin(II) catechol ether
complexes, 2933
Molecular graphics
molybdenum sulphide, 1814
molybdenum(V) dithiocarbamate in
zeolite, 1817
Molecular mechanics, copper(II)
diketonates, 1549
Molecular orbitals
boron - phosphorus compounds,
969
chromium(0) arene cyclopentadi-
enyl cyclopentaphosphorus
complexes, 1135
cubane clusters, 2847ff
iron carbonyl thio complex, 1885
iron(II) cyclopentadienyl
cyclopentaphosphorus
complexes, 1135
trinuclear complexes, 2785
Molecular sieves, 819
Molybdenum
acetonitrile dithiocarbamate
thio cobalt complex, 1625
alkylidyne carbonyl carboxylate
diamine pyrazolylborate
Fe(II) Pt complexes, 2265
alkylidyne carbonyl
cyclopentadienyl platinum
complexes, 2271
aminocarbyne carbyne diphosphine
methyleneamido vinyl
complexes, 1595
arylimide nitrosyl
pyrazolylborate thiolate
complexes, 1033
cyanide nitrosyl complexes, 2897
diphosphine seleno selenoacyl
thio thioacyl iron complexes,
179
multiply bonded ligand
complexes, 1653
in nitrogenase, 1649
nitrosyl pyrazolylborate
complexes, 1669
oxycarbides, 1794
sulphide (MoS_2), 1814
thio thiolate iron complexes,
1865
Molybdenum(0)
acetonitrile carbonyl
triphosphine complex, 2119
alkyne arene carbonyl
cyclopentadienone diphosphine
complexes, 1810
arene complexes, 1641
carbonyl crown thioether
complexes, 505
carbonyl cyclopentadienyl
antimony complexes, 2495
carbonyl diamine diimine halide
pseudohalide mercury
complexes, 1471
carbonyl diglyme complex, 2925
carbonyl diimine complexes, 921
carbonyl episulphide complexes,
887
carbonyl macrocyclic aminoether
complex, 1857
carbonyl phosphine thioether
complexes, 1876
carbonyl phosphinyl complexes,
627
carbonyl phosphonite
molybdenum(II) complexes, 2339
carbonyl triamine complexes,
2333
dinitrogen diphosphine complex,
1463
diphosphine complex, 293
diphosphine isocyanide complex,
2599
Molybdenum(II)
acetate acetonitrile thioether
complexes, 1770
acetate isoindoline pyridine
complexes, 2359

acetonitrile alkyl allyl chloride diphosphine complexes, 2599
alkyne cyclopentadienone oxo complex, 1810
allyl carbonyl cyclopentadienyl phosphine complex, 1859
arsine carbonyl chloride phosphine pyridine stibine trichlorostannate complexes, 917
azide nitrosyl pyrazolylborate thiocyanate complexes, 371
bromide carbonyl phosphine thioether complexes, 1876
carbonyl cyclopentadienyl methyl complexes, 1804
carbonyl iodide crown thioether complexes, 505
carboxylate diphosphine hydride oxyimide complexes, 1751
chloride isocyanide phosphine tin(II) complexes, 1786
cyclopentadienyl isocyanide complex, 1802
halide hydrazide hydride phosphine complexes, 1756
isocyanide thio niobium(V) complex, 1762
phosphonite heteropolynuclear complexes, 2339
Molybdenum(III)
allyl cyclopentadienyl complexes, 203
amine phenoxide complexes, 1971
bromide diphosphine ether nitrile complexes, 545
edta thio complexes, 2791
Molybdenum(III,IV)
edta thio complexes, 2791
halide oxo complexes, 2785
Molybdenum(IV)
alkoxide alkylamide complexes, 129
alkoxide chloride diazenide ethanol hydroxamate phenylhydrazine complexes, 29
alkoxide diimine complexes, 123
alkylamido phosphido complexes, 1419
allyl cyclopentadienyl complexes, 203
amine phenoxide complexes, 1971
bromide hydride phosphine complexes, 1756
carbene carbonyl cyclopentadienyl hydride complexes, 1583,1863
carbene carbonyl cyclopentadienyl iodide tin(II) complexes, 1861
carbonyl chloro oxo hosphine complex, 1261
carbonyl hydride phosphine phosphite pyridine thiophenoxide complexes, 1701
chloride ketoimine complex, 1717
cyanide cyclopentadienyl hydride iodide isocyanide methyl complexes, 1802
cyclopentadienyl hydride phosphine stannene tin(II) complexes, 1884
cyclopentadienyl mercaptopyridine complexes, 2439
cyclopentadienyl tetraselenide complex, 1999
diphosphine hydride complex, 1870
disulphide thio complex, 2419
dithiolate thio complex, 1625
oxo phthalocyanine, 1631
oxo thio complexes, 2785
thio thiolate niobium(IV),(V) complexes, 1762
Molybdenum(IV,V)
alkoxide diimine complexes, 123
Molybdenum(V)
alkoxide dithiolate mercaptocarboxylate oxo complexes, 669
chloride oxo complexes, 45
chloride oxo phosphine complex, 447
chloride oxo pyrazolylborate, 1833
chloride thio compound, 549
dithiocarbamate in zeolite, 1817
oxo complexes, 1830
oxo polysulphide thio vinyl disulphide complexes, 1705
Molybdenum(V,VI)
methoxide oxo isopolyanion, 537
Molybdenum(VI)
alkoxide carboxylate dienolate diketal hydroxide oxo complexes, 2915
alkoxide oxo complex, 1213
alkylamide alkylimido amine carboxylate chloride sulphonate tetrafluoroborate complexes, 2947
aminoalcohol diamine dicarboxylate glycol oxo peroxide water complexes, 977
benzoin oxime oxo salicylaldoxime salicylhydroxamate complexes, 2473
carbazone chloride oxo thiocarbazone complexes, 677
carbohydrate complexes, 333
chloride metallaphosphazenes, 1729,1736
chloride oxo thio compounds, 549
diolate complex, 519
erythritol oxo complexes, 1571
heteropolyanion, 2739
histidine imidazole oxo complexes, 2225
hydroxo oxo complex, substitutions, 1387
imidazole oxo peroxide water complexes, 541
oxo triamine cobalt(II) iron(III) complexes, 1675
tetrathio-, reactions, 1625
Montmorillonite, thermal decomposition, 2709

N

Naphthalene-2,3-diolate complexes, 519
1,2-Naphthoquinone-1-[&2-]oxime complexes, ruthenium(II), 103

1,8-Naphthyridine-*N*-oxide complex
copper(II), 933
Neodymium
alkoxide diketonate hydroxide oxo complexes, 2183
amine ferrocene Schiff base complex, 2459
chloride pyridine pyrrole Schiff base water complexes, 21
crown ether complex, 1561
cyclopentadienyl furfuralkoxide salicylaldehydate complexes, 2109
formylferrocene benzoylhydrazone complex, 2105
hydroxide water complexes, 2701
phosphonate complexes, 1307
polyaminepolycarboxylates, 1425
Nickel(0)
carbonyl diphosphine complexes, 293
carbonyl phosphine complexes, 1351
phosphine complexes, 13
Nickel(II)
acetate polypyridine helical complex, 2551
alkyl aryl phosphine pyridine cyclometallated complexes, 1069
alkyl chloride cyclopentadienyl diimine diphosphine phosphine complexes, 585
aluminophosphates, 819
amidinoalkylurea complexes, 757
aminoacid water complexes, 1329
aminodiphosphine chloride complexes, 25
aminoethanethil cystamine complexes, 2837
aryl benzyl cyclopentadienyl halide phosphine complexes, 285
arylamido iodide complexes, 2603
azole halide thiocyanate thioether complexes, 1965
benzyl phosphine complexes, 2449
carboxylate morphoine piperazine piperidine complexes, 2395
carboxylate water complexes, 39
chloride polyamine pyridine complexes, 909
chloride pyridine complexes, 2283,2901
chloride silicon isothiocyanate complexes, 427
diaminopolycarboxylate complexes, 1365
diaminepolycarboxylate dicarboxylate complexes, 2693
diimine hydrazinecarbodithioate complexes, 925
diimine nitrate water complexes, 689
diketonate ketoimine thiodiketonate water complexes, 2305
diketonate pyridine complexes, 2743
dithiocarbamates, 2637
dithiodipyridine halide complexes, 1545
macrocyclic tetradentate complexes, 1243
methanol salicylaldimine complexes, 2321
nitrate oxime pyridine complexes, 305
nitrosonaphthol complexes, 473
oxime complexes, 1957
phenanthroline complex, 2649
polyaminepolyphosphonates, 453
polyselenide complexes, 1995
pyrazolinine - alkyldithioate complexes, 2723
pyridinedicarboxylate complexes, 745
salicylaldimine complexes, 113
thiolate, 1253
Ninhydrin complexes
molybdenum(VI), 2915
Niobium(0) arene complexes, 1641
Niobium(I)
arene complexes, 1641
cyclopentadienyl diphosphine complex, 1784
Niobium(III)
alkyl carbonyl cyclopentadienyl Hf(IV), Zr(IV) complexes, 2189
Niobium(IV)
chloride diarsineamido complex, 1767
cyclopentadienyl halides, 1848
cyclopentadienyl thio molybdenum(IV) complex, 1762
Niobium(V)
alkoxide cyclopentadienyl halides, 1848
alkyl hydride phenoxide cyclometallated complexes, 1607
alkylimide chloride cyclopentadienyl complex, 1819
chloride cyclopentadienyl hydrazide complexes, 1784
chloride nitrile thio complexes, 549
chloride oxo metallaphosphazene, 1729,1736
chloride thio thiophenoxide complexes, 1797
cyclopentadienyl hydride thio thiolate molybdenum(II),(IV) complexes, 1762
dipicolinate hydroxycarboxylate peroxide complexes, 1371
peroxide complexes, 1379
Nitrate complexes
cadmium, 1913
cobalt(III), 2389
copper(II), 873,933,935,1531
dysprosium, gadolinium, 1531
magnesium, 1061
mercury, 1913
nickel(II), 305,689
rhodium(III), 2565
ruthenium(II), 1223
vanadium(IV,V), 1723
yttrium, 1217
zinc, 1913
Nitride complexes
technetium(V), 1879
Nitrile complexes
cobalt(III), 275,415,2389
electrophilic addition, 1595
molybdenum, 1625

molybdenum(0), 2119
molybdenum(II), 1770,2599
molybdenum(III), 545
niobium(V), 549
rhenium(I), 1872
rhenium(III), 1689
rhenium(V), 959
rhodium(I), 2193
ruthenium(II), 1223
tantalum(V), 549
titanium(IV), 311
tungsten(II), 341 ,2587
uranium(VI), 1357
vanadium(IV), 87
Nitrilotriacetates
thorium, 2385
Nitrite complexes
cobalt(III), 1227
palladium(II), 161
Nitrobenzoates
Co,Cu,Ni, 2395
4-Nitrocatechol complexes
tin(II), 2933
4-Nitro-1,2-diamidobenzene
complexes, Pt(II), 2507
Nitrogen - sulphur compound, 2631
Nitrogenases, 1649,1695
3-[&4-]Nitrophenoxides
zirconium, 845
Nitroprusside, 2627
1-[&2-]Nitrosonaphtholsulphonate
complexes, nickel(II), 473
Nitrosothiourea, reactions with
metal compounds, 953
Nitrosyls
iron, 1447,2627
iron(II), 361
molybdenum, 1033,1669,2897
molybdenum(II), 371
rhodium, 2565
Nitroxyimine, arsenic(III), 1461
NMR(^{1}H) spectra
acetaldehyde complexes, 1261
alkene complexes, 1261
alkenyl complexes, 433,695
alkoxides, 597,2893
alkyls, 57,77,341,585,763,959,
1069,1413,2035,2557,2689,2755
alkylamido complexes, 341
alkylidyne complexes, 179,1939
alkylimido complexes, 341,1819,
2657
alkyne complexes, 351,1123,2587
alkynyl complexes, 2003
allyls, 203,2599
amido ($RCONH^-$) complexes, 581
amidoamine complexes, 2943
amidodiphosphine complex, 2291
amine complexes, 491,633,775,
1971,2459
aminoacid complexes, 731,1865
aminodiphosphine complexes,25
aryls, 1039,1069
arylamido complexes, 341,1579,
2507
arylimido complexes, 341,1033
benzyls, 285,2449
carbaborane complexes, 1485
carbazone complexes, 677
carbene complexes, 2351
carboxylates, 585,1117,1157,
1503,1537,2359
carbyne complexes, 1285
catenand complex, 1251
clathrochelate complexes, 1391
crown ether complexes, 879
cryptand complex, 1143
cyclometallated complexes, 1069,
1285,1485
cyclopentadienyls, 311,585,879,
1774,1780,1802,1819,1844,1939,
2003,2265,2371,2459
diaminato complexes, 143
diaminopolycarboxylate
complexes, 1205,2889
diarsine complexes, 1537
diene complexes, 167,2291
diimine complexes, 57,77,83,959,
1039
diketonates, 1111,1117,2305,2743
diketones, 1549
diolate complexes, 519
dioxime complexes, 1391
diphosphine complexes, 179,293,
433,835,959,1069,1537,1945,
2169
diphosphinoamines, 1339
diphosphonato complexes, 1774
dithiocarbamates, 1413,2557
dithiocarboxylates, 633
episulphide complexes, 887
hydride complexes, 613,1607,
1751,1802,1903,1945,2271
hydroxyiminopentanedionate, 175
imine complexes, 341
iminoacyl complexes, 341,2657
iodoammonium salts, 2911
isocyanide complexes, 1285,1802
isoindoline complexes, 2359
ketoimine complexes, 491,569,
2305
ketone complexes, 2459
macrocyclic complexes, 1217,1243
mercaptocarboxylate, 669
mercaptopyridine complexes, 2439
nitrile complexes, 311,2587
oxime complexes, 1509
pentaoxapentaphosphorinane
complex, 2719
phenoxides, 77,1247,1971
phosphaalkene, 2087
phosphacyclopentadienyls, 849
phosphazenes, 1517
phosphido complexes, 1774
phosphidophosphine complexes,
2169
phosphine complexes, 285,433,
835,959,1039,1053,1069,1261,
1351,1485,1503,1537,1903,2047,
2151,2193,2449
phosphonium salt, 1039
phosphorus(III) oxyacids, 527
polyamine complexes, 1509
polyaminepolycarboxylates, 2481
polyaminepolyphosphonates, 2077
pyrazolinone - alkyldithioate
complexes, 2723
pyrazolylborate complexes, 371,
1033,2367
pyridine complexes, 21,1069,
1117,1217,1321,2359,2743,
2893,2943
pyrrole complexes, 21
quinaldinate complexes, 167
salicylaldimine complexes, 491
Schiff base complexes, 21,491,

569,1217,1321,1509,2459,2755,
2769
selenoamide, 2517
selenoneimine complexes, 569
siloxide, 2657
sulphonate complexes, 2943
thiaboranes, 2089
thiocarbazone complexes, 677
thiodiketonates, 2305
thioester complexes, 633
thioether complexes, 505,613,
887,2041
thiolates, 763,1865,2151,2893
thione complexes, 1103
thioneimine complexes, 69
thiophenoxides, 1033
thiosemicarbazide, thiosemicar-
bazone complexes, 2371
thiourea complexes, 351
triazenides, 1909
triphosphine complexes, 1903
triphosphonato complexes, 1774
ureas, 293
urea complexes, 351
water complex, 1111
NMR(^{2}H) spectra
phosphine complex, 2193
NMR(^{11}B) spectra
borohydrides, 1601
carbaborane complexes, 1485
thiaboranes, 2089
NMR(^{13}C) spectra
acetaldehyde complexes, 1261
alkene complexes, 1261
alkenyl complexes, 433,695
alkoxides, 97
alkyls, 57,585,763,959,1069,
1413,2755
alkylidyne complexes, 179,1939,
2035,2265,2271
alkylimido complexes, 2657
alkyne complexes, 351,2587
alkynyl complexes, 2003
amide complexes, 1
amidodiphosphine complex, 2291
amine complexes, 633
aminoacid complexes, 1
aminodiphosphine complexes, 25
aryls, 1069
arylamido complexes, 1579
benzyls, 285
bicarbonates, 2389
carbohydrate complexes, 333
carbonates, 2389
carbonyls, 179,351,505,695,1261,
1285,1503,2003,2035,2265,2271,
2333,2587,2925
carboxylates, 1503,1844
carboxymethyl, 597
carbyne complexes, 1285
crown ether complexes, 879
cryptand complex, 1143
cyanide reactions, 2627
cyclometallated compounds, 1069
cyclopentadienyls, 585,879,1007,
1285,1844,1939,2003,2035,2265
diene complex, 2291
diimine complexes, 57,77,83
diketonates, 2305
diketones, 1549
diolate complexes, 519
diphosphine complexes, 179,433,
695,959,1069,1611
dithiocarbamates, 1413,1891
dithiocarboxylate complexes, 633
ether complexes, 2925
hydroxycarboxylates, 1371
isocyanide complexes, 827,1261,
1285,2271
ketoimine complexes, 2305
nitrile complexes, 2587
oxalate complexes, 2389
oxime complexes, 1509
phosphaalkene, 2087
phosphacyclopentadienyls, 849
phosphazenes, 1517
phosphine complexes, 28,433,959,
1069,1503,2047
phosphinyl complexes, 627
polyamine complexes, 1509
pyridine complexes, 57,1069,1321
pyrazolylborate complexes, 2265
Schiff base complexes, 1321,
1509,2755
selenoamide complexes, 2517
tetramine complexes, 2389
thiodiketonates, 2305
thioester complexes, 633
thioether complexes, 505,2041
thiolates, 763
thione complexes, 2823
thiourea complexes, 351
triamine complexes, 2333
urea complexes, 351
NMR(^{14}N) spectra
phosphorane iminato complexes,
722
thiocyanates, 2641
NMR(^{17}O) spectra
heteropolymolybdate, 2739
oxo complexes, 240
NMR(^{19}F) spectra
amidoamine complexes, 2943
diaminato complexes, 143
diphosphine complexes, 293
fluoride, 311
fluorophosphine complex, 2485
fluorophosphoranes, 731
ureas, 293
NMR(^{27}Al) spectra
aluminium triazenides, 1909
NMR(^{31}P) spectra
aminodiphosphine complexes, 25,
2291
bis(triaza)diphosphine
complexes, 2485
diazatriphosphine complex, 2485
diphosphine complexes, 13,91,
179,293,433,585,695,835,959,
1045,1069,1537,1611,1751,1979,
2169,2507
diphosphinoamines, 1339
diphosphonato complexes, 1774
diphosphoxane complex, 1575
pentaoxapentaphosphorinane
complex, 2719
phosphaalkene, 2087
phosphacyclopentadienyls, 849
phosphazenes, 1517
phosphido complexes, 1774
phosphidophosphine complexes,
2169
phosphine complexes, 13,91,167,
285,433,585,835,893,897,959,
997,1039,1045,1053,1069,1085,
1261,1351,1485,1503,1537,1575,

1855,1903,1945,1979,1989,2047,
2151,2193,2215,2449,2485,2507,
2671,2689,2907
phosphinyl complexes, 627
phosphirane complexes, 2671
phosphite complexes, 819,2415
phosphonite complexes, 2339
phosphonium salt, 1039
phosphoranes, 731
phosphorane iminato complexes, 722
phosphorus(III) oxyacids, 527
phosphorus(V) chloride dimethylamido methyl phenyl complexes, reactions with HCl, 2623
polyaminepolyphosphonates, 2077
triphosphine complexes, 1903, 2119
triphosphonato complexes, 1774
ureas, 293
NMR(^{45}Sc, ^{49}Ti) spectra, 1657
NMR(^{51}V) spectra
peroxovanadates, 1379
review, 1657
vanadium(V) phosphorane iminato complexes, 722
NMR(^{53}Cr, ^{55}Mn) spectra, 1657
NMR(^{71}Ga) spectra
heteropolymolybdate, 2739
NMR(^{73}Ge) spectra
germanium chloride thiocyanate complexes, 2641
NMR(^{89}Y, ^{91}Zr, ^{93}Nb) spectra
review, 1657
NMR(^{95}Mo) spectra
molybdenum(0) carbonyl diimine complexes, 921
molybdenum(VI) carbohydrate complexes, 333
molybdenum(VI) phosphorane iminato complexes, 722
review, 1657
NMR(^{99}Tc) spectra
review, 1657
technetium(I) diphosphine phosphite complex, 1201
NMR(^{119}Sn) spectra
tin(II) chloride Mo(II), W(II) complexes, 1786
tin(IV) alkyl chloride dithiocarbamate complexes, 1413
tin(IV) butyl dithiocarbamates, 1891
tin(IV) halide methyl phosphine complexes, 2047
tin(IV) methyl salicylaldimine complexes, 2755
NMR(^{125}Te) spectra
telluroether complexes, 2769
NMR(^{139}La) spectra
lanthanum chloride crown ether complexes, 2029
review, 1657
NMR(^{181}Ta, ^{183}W, ^{187}Re) spectra, 1657
NMR(^{195}Pt) spectra
platinum alkylidyne carbonyl iron(II) molybdenum complex, 2265
platinum(II) bis(triaza)diphosphine chloride phosphine complexes, 2485
platinum(II) chloride Schiff base telluroether complexes, 2769
platinum(II) phosphine complexes, 897
NMR(^{199}Hg) spectra
mercury ketoimine selenoneimine thioneimine complexes, 569
NMR(2-D) spectra
germanium chloride thiocyanate complexes, 2641
iridium(I) amidodiphosphine butadiene complex, 2291
platinum(II) alkenyl phosphine complexes, 433
platinum(II) bis(triaza)diphosphine chloride phosphine complexes, 2485
NMR(DEPT) spectra
crown ether, cyclopentadienyl complexes, 879
NMR(solid state) spectra
molybdenum(0) carbonyl diglyme complex, 2925
molybdenum(0) carbonyl triamine complexes, 2333
NMR titrations
alkali metal - crown ether complexes, 879

Q

Organometallics, book reviews, 1361,2735
Osmium
alkynyl carbonyl tungsten complexes, 2003
carbonyl thio cluster complexes, 1437
Osmium(I)
acetate carbonyl diarsine diphosphine phosphine complexes, 1537
Osmium(II)
carbonyl chloride hydride phosphine complex, 1431
diimine complex, 367
Osmium(III)
chloride diketonate phosphine complexes, 2179
Osmium(VI)
diolate oxo complexes, 519
carboxymethyl methoxide oxo complex, 597
Oxalate complexes
cobalt(II), 2693
cobalt(III), 2389
copper(II), 1239
hafnium(IV), 1371
lanthanides, 2367
nickel(II), zinc, 2693
zirconium(IV), 1371
Oxazolidine-2-thione, 1891
Oxides
Al-Cr, 1765
Ba-Fe-Ta, 1615
Cr-Ti, 1615
iron(III), 149,2829
Oxime complexes
cobalt(II),(III), 1509

copper(II), 301,1957,2409
copper(III), 2409
molybdenum(VI), 2473
nickel(II), 305,1957
ruthenium(II),(III), 851
Oxo complexes
chromium(V), 1830
cobalt(II), 1675
copper(II), 2469
iron(III), 1675
molybdenum(II), 1810
molybdenum(III,IV), 2785
molybdenum(IV), 1631,1653,2785
molybdenum(V), 45,447,669,1653, 1705,1830,1833
molybdenum(V,VI), 537,1653
molybdenum(VI), 519,541,549,677, 1213,1387,1571,1653,1656,2225, 2473,2915
neodymium, 2183
niobium(V), 1729
osmium(VI), 519,597
polynuclear, review, 219
rhenium(V), 559
rhenium(VII), 375
thorium, 109
titanium(IV), 1804,1846
tungsten, 1653,1807
tungsten(IV), 1261,1653,2785
tungsten(V), 1653
tungsten(VI), 109,519,549,1387, 1653,1675,1788
uranium(VI), 109,519,1357,2233, 2251,2527
vanadium(III), 1723
vanadium(III,IV), 1782
vanadium(IV), 87,1173,1723,1745, 1748,1753,1790,1830,1835,2611
vanadium(V), 1379,2791
zirconium, 109
1-Oxoethyl complexes
Nb(III), Ta(III), 2189
4-Oxoferrocenebutanoyloxy complex
zirconium, 929
Oxycarbides, Cr, Mo, W, 1794
Oxyimide complexes
molybdenum(II), 1751

P

Palladium(I)
diazonium diphosphine halide isocyanide phosphine sulphur dioxide tin(II) complexes, 1045
Palladium(II)
aminodiphosphine chloride complexes, 25
aryl diimine complexes, 2209
azole chloride complex, 1345
azoresorcinol hexamethylenetetramine hydroxide complexes, 197
bromide Schiff base cyclometallated complex, 2725
carbaborane halide phosphine cyclometallated complexes, 1485
chloride nitrite phosphine complexes, 161
chloride phosphine thiolate complexes, 2151
chloride Schiff base telluroether water complexes, 2769
chloride selenoamide cyclometallated complexes, 2517
chloride sulphurdiimide complexes, 91
diimine phosphine complex, 1989
diphosphine thionylimino complex, 835
dipyridyl thiocyanate complexes, 775
polytelluride complex, 701
PE spectra
carbaboranes, 805
Penicillamine complexes
vanadium(IV), 1745
Pentafluorophenyls
antimony(III), 581
Pd(II), Pt(II), 2209
Pentamethylcyclopentadienyl complexes,
hafnium, 1729
hafnium(IV), 1774
lanthanides, 1007,1850
lanthanum, 1850
lutetium, 1850
molybdenum(III), 203
molybdenum(IV), 203,1861
samarium(II), 1007
tantalum(V), 1729
titanium(IV), 1729,1838
tungsten, 2003
tungsten(IV), 1861
zirconium(IV), 1774
Pentamethylphenylmethyls
zirconium, 1601
2,4-Pentanedionates
copper(II), 2305
neodymium, 2183
nickel(II), 2305
osmium(III), 2179
platinum(IV), 551
ruthenium(III), 2179,2813
vanadium(IV), 1827,2611
zinc, 2305
2,4-Pentanedithionate
nickel(II), 2305
Pentaoxapentaphosphorinane complexes, chromium(0), 2719
Pentaphenylcyclopentadienyls
iron(II), 2425
Pentaselenide [Se_5^{2-}] complexes
copper(I), silver(I), 1139
Pentasulphide [S_5^{2-}], 2379
Peptide complexes
copper(II), 2463
copper(III), 2409
Perchlorate complex
copper(II), 935
iridium(I), 121
Periodate oxidations, 51
Peroxide complexes
hafnium, 1371
molybdenum(VI), 977
niobium(V), 1371,1379
polynuclear, review, 267
tantalum(V), 1371,1379
thorium, 109,977
tungsten(VI), 109
uranium(VI), 109
vanadium(V), 1379

zirconium, 977,1371
Perrhenate complex
rhodium(I), 375
Phase transfer catalysis, review, 407
Phenanthrenequinone complexes
molybdenum(VI), 2915
1,10-Phenanthroline complexes
manganese(II), 1853
molybdenum(0), 1471
nickel(II), 689,925,2649
palladium(II), 2209
platinum(II), 57,2209
titanium(IV), 2893
tungsten(0), 1471
Phenoxides
cobalt(II),(III), 2007
cobalt(III), 2677
copper(II), 647,2007,2513
lanthanides, 2109
molybdenum(III),(IV), 1971
molybdenum(VI), 2473
nickel(II), 113
niobium(V), 1607
tantalum(V), 341,1607
uranium(IV), 1247
zirconium, 77,845,1601
4-Phenoxybutanoates
cobalt(II), nickel(II), 39
Phenyls
antimony(III), 5581
carbaboranes, 805
mercury, 1085
phosphorus(V), 731,1445,2623
rhenium(VII), 2657
rhodium(III), 2727
tin(II), 1861
tin(IV), 1753,1897
titanium(III), 1457
vanadium(III), 1339,1457,1767
Phenylacetylene complexes
ruthenium, 1123
3-Phenyl-4-acetyl-5-isoxazolone complexes, lanthanides, thorium(IV), uranium(VI), 1111
Phenylalanine methyl ester Schiff base complexes, copper(I), 1321
Phenylalanylglycine complexes
copper(II), 2463
Phenylcyanamide complexes
copper(II), 2219
1-Phenyl-3,4-dimethylphosphole complexes, Pd(II), Pt(II), 897
3,3′-[1,3-Phenylenebis(methylene)-bis(2,4-pentanedionate)], copper(II), 1549
N,N′-o-Phenylenebis(salicylidene-iminato) complex, Zr, 1717
1,2-Phenylenediamine complexes
chromium(II), 1825
Mo(VI), Th(IV), U(VI), 977
1,3-Phenylenediamine-*N,N′*-disuccinate complexes, 2693
2-Phenylethynyl complexes
Os, Ru, W, 2003
Phenylhydrazide complexes
Nb(V), V(IV), 1784
Phenylhydrazine complexes
molybdenum(IV), 29
vanadium(III), 1782
Phenylimido complexes
tungsten(IV), 1261
tungsten(VI), 1788
2-Phenylindenyl complexes
molybdenum(III),(IV), 203
Phenylisocyanide complexes
tungsten(II), 827
2-Phenylphenoxide complexes
molybdenum(III),(IV), 1971
Phenylphosphido complexes
manganese(I), 1855
1-Phenylpiperazine complexes
Co, Cu, Ni, 2395
1-Phenylprop-2-yne complexes
tungsten(II), 2587
Phenylthioacetate, phenylthioacetic acid complexes, Cs, Tl, 793
N-Phenylthiourea, 2219
Phosphaalkene, 2087
Phosphacyclopentadienyls, 849,2407
Phosphate complexes
gadolinium, 1315
Phosphazenes, 1517
Phosphido [R_2P^-] complexes
manganese(I), 1855
molybdenum(IV), 1419
tungsten, 1807
Phosphidophosphine complexes
platinum(II), 2169
Phosphinate complexes
cadmium, 2535
Phosphine, reaction with diimine, 1039
Phosphine complexes
aluminium, 831
chromium(0), 1099,2125
cobalt, 801
copper(I), 1103
copper(II), 2469
copper(III), 1039
gallium, 1053
gold, 1903
iridium(I), 121,1431
iron(II), 1503
iron(III), 801
manganese, 1589
manganese(0), 1855
molybdenum(0), 1876
molybdenum(II), 1756,1786,1859, 1876
molybdenum(IV), 1261,1701,1756, 1884
molybdenum(V), 447
nickel(0), 13,1351
nickel(II), 285,585,1069,2449
osmium(I), 1537
osmium(II), 1431
osmium(III), 2179
palladium(I), 1045
palladium(II), 161,897,1485, 1989,2151
platinum, 2271
platinum(0), 2485
platinum(II), 91,143,433,701, 835,897,1979,2215,2485,2507, 2907
platinum(IV), 893,997
rhenium(I), 1778
rhenium(V), 959
rhodium, 2565
rhodium(I), 167,1431,1575,2193
rhodium(III), 613,1085,2565, 2689,2727
ruthenium, 1123
ruthenium(II), 103,851,1149,1431
ruthenium(III), 851,2179,2813

tin(IV), 2047
tungsten(0), 1876,2125,2671
tungsten(II), 1261,1786,1859, 1876
tungsten(IV), 1261,1701,1884
tungsten(VI), 1870
zirconium(III), 1882
Phosphine oxide complexes
aluminium, 1497
cadmium, 1093,2535
mercury, 1093
ruthenium(II,III), 2571
sodium, 215
thorium, 109,977
ytterbium, 1983
zinc, 1093
zirconium, 109,977
Phosphinidene complex, Mn, 1589
Phosphineiminate complexes
vanadium(IV), 1784
Phosphinoalkenyl complexes
tungsten, 1807
Phosphinoalkyl complexes
zirconium(III),(IV), 1758
Phosphinoalkylamido complexes
vanadium(III), 1339
Phosphinoborene, 969
Phosphinyl complexes
Mo(0), W(0), 627
Phosphirane complexes
tungsten(0), 2671
Phosphite complexes
manganese, 1589
rhenium(I), 1778
rhodium(I), 2415
technetium(I), 1201
tungsten(0), 827
Phosphonate complexes
Bi,Cd, 1307
iron(III), 2099
lanthanides, Zn, 1307
Phosphonium salt, 1293
Phosphoranes, 731
iminato-, complexes, review, 707
Phosphorescence, chromium(III)
dipyridyl complex, 1453
Phosphorous acid, 527
Phosphorus(V)
alkyl aminoacid fluoride hydroxyquinoline phenyl complexes, 731
chloride dimethylamido methyl phenyl complexes, 2623
iodo phenyl complex, 1445
Photoacoustic calorimetry
chromium(0) arene carbonyl complexes, 2681
Photochemistry, titanium(IV), vanadium(III) oxalate complexes, 1792
Photodecomposition, mercury azide complex, 2731
Phthalates
thorium, zirconium, 977
Phthalimido complexes
antimony(III), 581
Phthalocyanines
Mo(IV), Zr(IV), 1631
Picolinate complexes
cobalt(II), 51
rhodium(III), 1085
Picoline complexes
Cd, Co(II), Ni(II), 2743
thorium(IV), uranium(VI), 977
vanadium(IV), 2611
zinc, 2743
Piperazine complexes
Co, Cu, Ni, 2395
Piperidine complexes
chromium(0), 2681
Co, Cu, Ni, 2395
ruthenium(II), 851
Platinum
alkylidyne carbonyl iron(II) molybdenum complex, 2265
alkylidyne carbonyl isocyanide phosphine molybdenum tungsten complex, 2271
Platinum(0)
carbonyl diene iron(0) complexes, 2521
diaminodiphosphine phosphine complex,2485
Platinum(II)
alkenyl phosphine complexes, 433
alkyl diimine pyridine complexes, 57
allyl carbonyl chloride cyclopentadienyl diene isocyanide methyl complexes, 551
amidoamine halide pyridine sulphoxide complexes, 2943
amido phosphine complexes, 1979
aminodiphosphine chloride complexes, 25
arylamide diphosphine phosphine complexes, 2507
aryl diimine complexes, 2209
bis(triaza)diphosphine chloride phosphine complexes, 2485
carboxylate diaminato halide phosphine pyrazine pyridine complexes, 143
chloride diphosphine phosphido-phosphine complexes, 2169
chloride phosphine sulphur - nitrogen complex, 2907
chloride Schiff base telluroether water complexes, 2769
cyanide disulphurdiimide complexes, 841
halide phosphine pseudohalide complexes, 897
phosphine selenium - nitrogen complexes, 2215
phosphine sulphurdiimide complexes, 91
phosphine telluro complex, 701
phosphine thionylimino complexes, 835
Platinum(IV)
bromide phosphine complexes, 893
chloride phosphine sulphur - nitrogen complex, 997
cyclopentadienyl diketonate methyl compounds, 551
Polarography
vanadium(III),(IV) ethylenediaminetetraacetate complexes, 1949
Polyalkoxide, molybdenum(VI), 1571
Polyamine complexes
cobalt(II), 1509
cobalt(III), 275,415,1509

europium, yttrium, 2157
Polyaminepolycarboxylates
lanthanides, 1425
Polyaminepolyphosphonates
cadmium, lead, 2077
Polyaminopolycarboxylates
gallium, indium, 2481
thorium, 2385
Polymetallaphosphazenes, 1729
Polyphosphine complexes
Mo(0),(II), W(0),(II), 1876
Polypyridine complexes
nickel(II), 2551
Polyselenide complexes
cadmium, 1995
copper(I), 1139
lead, mercury, 1995
molybdenum(IV), 1999
nickel(II), 1995
silver(I), 1139
tin(IV), 1999
zinc, 1995
Polysulphide, Ag(I), 2379
Polytelluride, Pd(II), 701
Porphyrins
Co, Cu, Fe, Rh, 1447
Potassium
crown ether complex, 2051
crown ether copper(I) complex, 1251
crown ether Fe(II), Ru(II) complexes, 879
thioethercarboxylate, 2147
Potentiometric titrations
cobalt(III) azide complexes, 641
copper(II) diamine hydroxide complexes, 2645
group 2 - tetracycline complexes, 189
neodymium hydroxide water complexes, 2701
phenylenediaminedisuccinate complexes, 2693
ruthenium(III) carbonyl edta water complexes, 2199
zinc insulin complexes, 2065
Praseodymium(III)
crown ether complex, 1561
formylferrocene benzoylhydrazone complex, 2105
hydroxide complexes, 983
on ion exchange media, 859
phosphonate complexes, 1307
polyaminepolycarboxylate, 1425
Pressure effects on electronic spectra, 801
Proline complexes
dysprosium, holmium, 2139
Propanedithiolate complexes
molybdenum(V), 669
titanium(IV), 2893
Propanethiolates
indium, 763
palladium(II), 2151
Propargyloxyphosphazenes, 1517
i-Propoxides
chromium(0), 653
molybdenum(IV),(IV,V), 123
titanium(IV), 2893
tungsten(0), 653
Propene complexes
tungsten(IV), 1261
Propenoyl complexes
tungsten(II), 1859
i-Propoxides
neodymium, 2183
niobium(V), 1848
n-Propoxides
molybdenum(IV), 29
i-Propylcyclopentadienyl
complexes, Mo(III),(IV), 203
Propylene, polymerization, 1867
Propylene carbonate, solvent for complexation studies, 2251
n-Propylimido complexes
rhenium(V), 1689
Propyne complexes
tungsten(IV), 1261
Protein complexes
zinc, 2065
Purine complexes
copper(II), zinc(II), 2593
Pyrazine complexes
iron(II), 941
platinum(II), 143
Pyrazolinone - alkyldithioate complexes, Cu, Ni, 2723
Pyrazolylborates
lanthanides, 117,555,2367
molybdenum, 1033,2265
molybdenum(II), 371
molybdenum(V), 1833
titanium(0), 1611
vanadium(IV), 1827
ytterbium, 117
zirconium, 845
Pyridinaldazine complexes
lanthanides, 21
Pyridine complexes
cadmium, 2743
cobalt(II), 51,1545,2743,2901
copper(I), 1321
copper(II), 301,909,933,1077, 1531,1545,2543,2901
dysprosium, 21,1531
europium, 2157
gadolinium, 21,1531
indium, 865
iridium(III), 211,2245
lanthanides, 21,1531,2157
molybdenum(0), 1857
molybdenum(II), 917,2359
molybdenum(IV), 1701,2439
nickel(II), 305,909,1069,1545, 2283,2743,2901
platinum(II), 57,143,2943
rhodium(I), 167
rhodium(II), 1117,1157
rhodium(III), 211,1085,2727
ruthenium(II), 103,851,1223
ruthenium(III), 577,2179
titanium(IV), 1804,2893
tungsten(IV), 1701,2439
vanadium(III), 1723
vanadium(IV), 2611
yttrium, 1217,1923,2157
zinc, 2743,2901
Pyridine-2-amidoxime complexes
copper(II), 301
nickel(II), 305
2,6-Pyridinedicarboxylate complexes, Co, Cu, Mn, Ni, Zn, 745
Pyridine-*N*-oxide complexes
copper(II), 933
zirconium, 977

Pyridine-2[&4-]-thione complexes
copper(I), 1103
N-2-Pyridinylcarbonyl-2-pyridine-carboximidate complex, copper(II), 1077
Pyrimidine complexes
Cd, Hg, Zn, 1093
Pyrophosphate
cobalt(III), 2389
Pyrrolaldizine complexes
lanthanides, 21
Pyrrole complexes
iron(III), 491
lanthanides, 21
Pyrrolidone complex
cadmium, 1913
copper(II), 873
mercury, 873,1913
zinc, 1913

Q

2-Quinaldinate complexes
rhodium(I), 167
rhodium(III), 2727
Quinoline hydrogenation, 1431
Quinoline complexes
nickel(II), 2283
Quinone complex
manganese(III), 1407
Quinone oxime complexes
ruthenium(II), 103
Quinquepyridine complexes
nickel(II), 2551

R

Radiation effects, molybdenum(V) chloride oxo phosphine complex, 447
Raman spectra
carbonyls, 627
carboxylates, 1157
chlorides, 325,2245,2813
diketonates, 2813
diolate complexes, 519
dirhodium(II) complexes, 1157
disulphide, 2837
disulphide complex, 2419
hydroxyketone complexes, 2813
iodoammonium salts, 2911
oxo complexes, 240,519,1379, 2527
peroxide complexes, 1371,1379
polyiodides, 2603
pyridine complexes, 2245
sulphurdiimide complexes, 91
thio complex, 3419
Repulsive forces in transition metal complexes, 1742
Resonance Raman, *see* Raman
Rhamnose complexes
Mo(VI), W(VI), 333
Rhenium
aminocarbyne carbyne chloride diphosphine methyleneamido vinyl complexes, 1595
Rhenium(I)
chloride dinitrogen isocyanide phosphine phosphite complexes, 1778
chloride diphosphine nitrile complexes, 1872
Rhenium(II)
carbonyl chloride diphosphine complexes, 1689
chloride diarsine complex, 1733
Rhenium(III)
chloride complexes, 469
chloride diarsine complex, 1733
diimine diphosphine halide nitrile complexes, 1689
Rhenium(IV)
chloride complexes, 469
diphosphine hydride complex, 1689
dithiocarbamate thio complex, 1625
Rhenium(V)
acetonitrile chloride dipyridyl methyl oxo phosphine complexes, 959
alkoxide oxo Schiff base thioether complexes, 559
alkylimido chloride diphosphine complex, 1689
Rhenium(VI)
alkylimido aryl complexes, 2657
Rhenium(VII)
alkylamido alkylimido aryl chloride iminoacyl siloxide complexes, 2657
chloride metallaphosphazanes, 1736
oxo rhodium(I) complex, 375
Rhodanese, 2627
Rhodium
bromide nitrosyl phosphine complex, 265
Rhodium(I)
acetonitrile carbonyl chloride phosphine complexes, 2193
amide (NH_2^-) complexes, 1401
carbonyl chloride complex, 2119
carbonyl diene phosphine quinaldinate complexes, 167
chloride diene phosphine complexes, 1431
chloride diphosphine phosphine complex, 1575
chloride Schiff base telluroether complexes, 2769
cyanide phosphite complex, 2415
diene diphosphine zirconium(IV) complex, 1760
diene perrhenate complex, 375
Rhodium(II)
acetate diketonate pyridine complex, 1117
amine azole carboxylate pyridine complexes, 1157
carbonyl chloride triphosphine complex, 2119
Rhodium(III)
amine thiocyanate complexes, 775
bromide nitrate phosphine complex, 2565
carbonate ethylenediamine hydroxide water complexes, 1163
carbonyl chloride porphyrin complexes, 1447
chloride hydride phosphine thioether thiolate complexes, 613

chloride methyl phosphine complexes, 2689
dipyridyl complex, 83
halide phophine picolinate mercury tin(II) complexes, 1085
halide pyridine complexes, 211
phenyl phosphine quinaldinate trifluoroacetate water complex, 2727
Ruthenium
alkyne carbonyl phosphine thio complexes, 1123
alkynyl carbonyl tungsten complexes, 2003
carbene carbonyl thio tungsten complexes, 2351
carbonyl diphosphine vinyl tungsten complex, 695
Ruthenium(0)
carbonyls, 2237
Ruthenium(I)
arene chloride complex, 2803
Ruthenium(II)
acetate arsine carbonyl carbonyl sulphide chloride hydride phosphine thio thiocarbonyl complexes, 1149
acetate carbonyl compllex, 597
acetonitrile dipyridyl nitrate pyridine complexes, 1223
azole oxime phosphine piperidine pyridine sulphoxide complexes, 851
carbonyl chloride hydride phosphine complexes, 1431
cyanide ethylenediamine complex, 2091
cyclopentadienyll alkali metal complexes, 879
diimine complexes, 2615
dioxime clathrochelates, 1391
phosphine pyridine quinone oxime complexes, 103
Ruthenium(II,III)
acetate complex, 577
acetate phosphine oxide complexes, 2571
Ruthenium(III)
ammonia pyridine complex, 577
carbonyl edta water complexes, 2199
chloride diketonate hydroxyketone phosphine complexes, 2813
diketonate halide phosphine pyridine complexes, 2179
edta thiourea complex, 463
oxime phosphine complex, 851

S

S_3N^- complexes
cobalt, copper, 1447
$S_4N_4^{2-}$ complexes
platinum(II), 2907
platinum(IV), 997
Salicylaldehydate complexes
lanthanides, 2109
Salicylaldimines
cobalt(III), 491,2677
copper(II), 2131,2543
iron(III), 135,491
nickel(II), 113,2321
rhenium(V), 559
tin(IV), 2755
titanium(IV), 1717
uranium(VI), 2527
vanadium(IV), 1748,1753
zirconium(IV), 1717
Salicylaldoximes
molybdenum(VI), 2473
Salicylhydroxamates
iron(III), 1477
molybdenum(VI), 2473
Samarium(II)
cyclopentadienyl ether complexes, 1007
Samarium(III)
carboxylate pyrazolylborate, 555
chloride pyridine pyrrole Schiff base water complexes, 21
cyclopentadienyl ether indenyl complexes, 17
formylferrocene benzoylhydrazone complexes, 2105
oxalate pyrazolylborate, 2367
phosphonate complexes, 1307
polyaminepolycarboxylates, 1425
Scandium
coordination numbers, 2431
SCCC - EH calculations
trinuclear complexes, 2785
Schiff base complexes
barium, calcium, 1143
cobalt(II), 2007
cobalt(III), 491,2007,2677
copper(I), 1321
copper(II), 2007,2131,2409,2513, 2543
copper(III), 2409
early transition metals, review, 1717
iron(III), 135,491
lanthanides, 21,2157,2459
lanthanum, 2157
mercury, 569
molybdenum(IV); 1717
nickel(II), 113,1243,2321
palladium(II), 2725,2769
platinum(II), rhodium(I), 2769
rhenium(V), 559
strontium, 1143
tin(IV), 2755
titanium(III),(IV), 1717
uranium(VI), 2527
vanadium(III),(III,IV), 1782
vanadium(IV), 1748,1753,1790
yttrium, 1217,1923,2157
zirconium, 1717
Second order Jahn - Teller effect, 1933
Sedimentation coefficients, antimonic acid - silicic acid core - shell particles, 2577
Selenides, electronic structures, 1619
Selenium heterocyclic compounds, 2817
Selenium nitrogen complexes
platinum(II), 2215
Seleno complexes
Cr, Fe, Mo, W, 179
vanadium(IV), 1723
Selenoacyl complexes

Cr, Fe, Mo, W, 179
Selenoamide complexes
palladium(II), 2517
Selenoneimines, mercury, 569
Selenophenoxide, In(III), 865
Semiconducting oxides, 1615
Semiconductor chemistry, book review, 1361
Serine complexes
vanadium(IV), 1173
SERS spectra
iron(II) cyanide nitrosyl complexes, 361
Serylglycine complexes
copper(II), 2463
Silica gel, adsorption of metal complexes, 2901
Silicic acid, core -shell particles with antimonic acid, 2577
Silicon
methyls, 427
tetrachloride, dioxygen hydrocarbon complex, 533
thiocyanates, complexes, 427
Siloxides
cerium(IV), 1001
rhenium(VII), 2657
vanadium(IV), 1723
vanadium(V), 1736
Silver(I)
amine thioether macrocyclic complex, 2951
bromide complex, 211
crown thioether complexes, 513
cyanide complexes, 361
polyselenide complexes, 1139
polysulphide complex, 2379
Silver(II)
crown thioether complexes, 513
Silver(III)
hydroxide complex, 1299
Silylimido complexes
tungsten(IV), 1261
Silylsulphurdiimide complexes
Pd(II), Pt(II), 91
Sodium
crown ether Fe(II), Ru(II) complexes, 879
hyponitrite, 2621
pentacyanonitrosylferrate(2-), 2627
phosphine oxide thiocyanate complexes, 215
Solubility, cobalt(III) phenoxide salicylaldimine complexes, 2677
Solvent extraction
actinide diketonate hydroxide complexes, 2071
cadmium chloride phosphinate phosphine oxide complexes, 2535
copper(II) oxime complexes, 1957
gallium chloride phosphine complexes, 1053
iron(III) phosphonate complexes, 2099
lanthanide diketonates, 1111
lanthanide diketonate hydroxide complexes, 2071
nickel(II) oxime complexes, 1957
palladium(II) azoresorcinol hexamethylenetetramine hydroxide complexes, 197
phosphonate complexes, 1307
strontium cryptand complex, 2797
Th(IV), U(VI) diketonates, 1111
uranium(VI) ketophosphonate nitrate oxo complexes, 1357
Spectrophotometric titrations
cobalt(II) bromide diphosphine complexes, 749
edta fluoride thio complexes, 2057
iron(III) salicylhydroxamate complexes, 1477
lanthanide crown ether complexes, 1561
Spin crossover complex, chromium(II) diphosphine halide, 1821
Stannene complexes
molybdenum(IV), 1884
Stannyl complexes
titanium(0), 1611
Steric coordination number, 2431
Stibine complexes
copper(II), 2469
molybdenum(II), 917
Strontium
cryptand complexes, 1143,2797
diaminepolycarboxylate complexes, 2693
tetracycline complexes, 189
Styrene oligomerization, catalysis by nickel(II) complexes, 2449
Succinate complexes
cobalt(II), 2693
copper(II), 1239
nickel(II), 2693
thorium, 109
zinc, 2693
zirconium, 109
Succinimido complexes
antimony(III), 581
Sulphate complexes
cobalt(III), 2389
copper(II), 457
Sulphides
electronic structures, 1619
molybdenum, 1814
Sulphite, oxidation by silver(III), 1299
Sulphonates
chromium(III), 1770
Mo(VI), W(VI), 2947
Sulphonyl complexes
copper(II), 739
Sulphoxide complexes
platinum(II), 2943
ruthenium(II), 851
Sulphur, heterocyclic compounds, 2817
Sulphurdiimide complexes
Pd(II), Pt(II), 91
Sulphur dioxide complexes
iron, 1447
palladium(I), 1045
Sulphur nitrogen compounds 2631
Sulphur nitrogen complexes
cobalt, copper, 1447
Pd(II), Pt(II), 91
platinum(IV), 997

T

Tantalum(III)
alkyl carbonyl cyclopentadienyl Hf(IV) Zr(IV) complexes, 2189
Tantalum(V)
alkyl amido imido imine imino-acyl phenoxide complexes, 341
alkyl phenoxide cyclometallated complexes, 1607
chloride cyclopentadienyl nitride complexes, 1729
chloride nitrile thio complexes, 549
dipicolinate hydroxycarboxylate peroxide complexes, 1371
mixed metal oxides, 1615
peroxide complexes, 1379
Tartrate complexes
Hf, Nb, Ta, Zr, 1371
Technetium(I)
diphosphine phosphite complexes, 1201
Technetium(II) chloride diimine complexes, 1879
Technetium(III)-(VI), review, 1683
Technetium(V) diimine diphosphine halide nitride complexes, 1879
Tellurides, electronic structures, 1619
Tellurium, heterocyclic compounds, 2817
Tellurium(-I)
hydrotelluride (HTe^-), 531
Telluro (Te^{2-}) complex
platinum(II), 701
Telluroether complexes
Pd(II), Pt(II), Rh(I), 2769
Template reaction, octaaza macrocycle, 1825
Terbium
formylferrocene benzoylhydrazone complex, 2105
polyaminepolycarboxylates, 1425
2,2':6',2''-Terpyridine complexes
copper(II), 97
Tetracycline complexes
group 2, 189
Tetrafluorobenzoate, Pt(II), 143
Tetrafluoroborate complexes
Mo(VI), W(VI), 2947
Tetrahydrofuran complexes
lanthanides, 17,1850
molybdenum(III), 545
tin(II), 2933
titanium(IV), 1838,2013
zirconium, 1717
zirconium(III), 1882
Tetrahydropyran complexes
samarium(II), 1007
Tetrahydroxyltetramethylfurane complex, molybdenum(IV), 1213
Tetrakis(2-nitrophenyl)porphyrinate, cobalt, 1447
Tetramethylethylenediamine complexes, Mo, 2263
3,4,7,8-Tetramethyl-1,10-phenanthroline complexes
nickel(II), 585
platinum((II), 57
Tetramethylthiourea complexes
tungsten(II), 351
Tetramethylurea complexes
Cd, Hg, Zn, 1093
Tetramine complexes
cobalt(III), 2389
copper(III), 2409
Tetraphenylcyclopentadienone complexes
molybdenum(0),(II), 1810
Tetraphenyldiphosphoxane complex
rhodium(I), 1575
Tetraphenylporphyrinate complexes
Co, Cu, Fe, Rh(III), 1447
Tetraselenide[Se_4^{2-}] complexes
cadmium, 1995
copper(I), 1139
lead, mercury, 1995
molybdenum(IV), 1999
nickel(II), 1995
silver(I), 1139
tin(IV), 1999
zinc, 1995
Tetrasulphide[S_4^{2-}] complexes
molybdenum(V), 1705
Tetrasulphur tetranitride, 2631
1,4,8,11-Tetrathiacyclotetradecane complexes, Mo(0),(II), W(0),(II), 505
Thallium(I)
crown ether complex, 2115
Thallium(III)
edta halide thio complexes, 2057
Thenoyltrifluoroacetonates
actinides, lanthanides, 2071
Theobromine complexes
Cu(II), Zn, 2593
Thermal analysis
aluminophosphates, 819
cadmium mercury borates, 1567
copper(II) acetate oxime pyridine water complex, 1077
copper(II) amine chloride ketone complex, 991
ferrihydrite - goethite conversion, 149
iridium(III) chloride pyridine complex, 2245
iron(II) cyclopentadienyl lanthanide complexes, 2459
lanthanide amine ferrocenyl ketone Schiff base complexes, 2459
lanthanide chloride pyridine pyrrole Schiff base water complexes, 21
lanthanum formylferrocene benzoylhydrazone complex, 2105
magnesium hydroxide nitrate, 1061
manganese(III) acetate hydroxyketoimine oxo thiocyanate complexes, 1029
nickel arylamido iodide complexes, 2603
polyaminepolyphosphonate complexes, 453
pyridinedicarboxylate complexes, 745
silicon isothiocyyanate complexes, 427
uranium(VI) oxo salicylhyrazone complexes, 2527
vanadium(IV) diketonate oxo pyridine complexes, 2611

yttrium formylferrocene benzoylhydrazone complex, 2105
Thiaboranes, 2089
Thianaphthene hydrogenation, 1431
Thiazolidine-2-thione, 1891
Thio complexes
aluminium, 2057
chromium, 179
cobalt, 801,1625
cubane, review, 2843
gallium, indium, 2057
iron, 179,1865,1885
iron(III), 801
molybdenum, 179,1625,1865
molybdenum(II), 1762
molybdenum(III), 2791
molybdenum(III,IV), 2785,2791
molybdenum(IV), 1625,1762,2419, 2785
molybdenum(V), 549,1705
molybdenum(VI), 549,1625
niobium(IV), 1762
niobium(V), 549,1797
osmium, 1437
rhenium(IV), 1625
ruthenium, 1123,2351
ruthenium(II), 1149
tantalum(V), 549
tin(IV), 2557
tungsten, 179,2351
tungsten(IV), 1261
tungsten(V), 947
tungsten(VI), 549
vanadium(III), 2763
vanadium(IV), 1723
vanadium(V), 1762
Thioacyl complexes
Cr, Fe, Mo, W, 179
Thiocarbazone complexes
molybdenum(VI), 677
Thiocarbonyl complexes
ruthenium(II), 1149
Thiocyanate, 2627
formation from nitrosothiourea, 953
Thiocyanate complexes
chromium(II), 1825
cobalt(II), 1509,1965
cobalt(III), 775
copper(II), 769,1523,1965,2313
europium, 2157
germanium, 2641
gold(I), 2823
manganese(II), 1523,1965
manganese(III), 1029
molybdenum(0), 1471
molybdenum(II), 371
nickel(II), 1965
Pd(II), Rh(III), 775
sodium, 215
tin(IV), 1897
tungsten(0), 1471
yttrium, 2157
Thiocyanates (organo), reactions with CF_3CO_2H, 775
Thiodiketonates
Cu(II), Ni(II), Zn, 2305
Thioester complexes
indium, 633
Thioether complexes
carbaboranes, 805
chromium(0), 887
chromium(III), 1770
cobalt(II), 1965
cobalt(III), 491
copper(II), 1965,2749
iron(III), 491
manganese(II), 1965
mercury, 2041
molybdenum(0), 505,887,1876
molybdenum(II), 505,1770,1876
nickel(II), 1965
potassium, 2147
rhenium(V), 559
rhodium(III), 613
silver(I), 513,2951
silver(II), 513
thallium(I), 793
tungsten(0), 505,887,1876
tungsten(II), 505,1876
Thiolates
indium, 763
iron, molybdenum, 1865
molybdenum(IV), 1762,2439
nickel(II), 1253,2837
palladium(II), 2151
rhodium(III), 613
tungsten(IV), 2439
vanadium(III), 1723
vanadium(V), 1762
Thione complexes
copper(I), 1103
gold(I), 2823
vanadium(IV), 87
Thioneimine complexes
mercury, 569
Thionitrosyl complexes
iron, 1447
Thionylimino [NSO^-] complexes
Pd(II), Pt(II), 835
Thiophene-2-carboxylate complexes
vanadium(IV,V), 1723
Thiophenoxides
indium(III), 865
molybdenum, 1033
molybdenum(IV), 1701
niobium(V), 1797
tungsten(IV), 1701
Thiosemicarbazide complexes
iron(II), 2371
iron(III), 135
Thiosemicarbazone complexes
iron(II), 2371
nickel(II), 727
Thiourea, formation from nitrosothiourea, 953
Thiourea complexes
chromium(II), 1825
ruthenium(III), 463
tungsten(II), 351
4-Thioxo-2-pentanonates
Cu(II), Ni(II), Zn, 2305
Thorium
aminophenol diamine dicarboxylate oxo peroxide phosphine oxide picoline complexes, 977
aminopolycarboxylate complexes, 2385
arsine oxide edta peroxide phosphine oxide succinate complexes, 109
aspartate complex, 2233
diketonate, 1111
Threonine complexes
vanadium(IV), 1173

Threonylglycine complexes
copper(II), 2463
Thulium
formylferrocene benzoylhydrazone complex, 2105
polyaminepolycarboxylates, 1425
Tin(II)
alkyl chloride Mo(IV), W(IV) complexes, 1884
catechol ether complex, 2933
chloride molybdenum(II) complexes, 917,1786
chloride palladium(I) complexes, 1045
chloride rhodium(III) complexes, 1085
chloride tungsten(II) complexes, 1786
phenyl Mo(IV), W(IV) complexes, 1861
Tin(IV)
alkyl chloride dithiocarbamate complexes, 1413
alkyl dithiocarbamate thio complexes, 2557
butyl dithiocarbamates, 1891
chloride dioxygen hydrocarbon complex, 533
chloride methyl phenyl vanadium(IV) complexes, 1753
halide methyl phosphine complexes, 2047
methyl salicylaldimine complexes, 2749
phenyl thiocyanate complex, 1897
tetraselenide complex, 1999
Titanium(0)
arene complexes, 1641
carbonyl cyclopentadienyl diphosphine pyrazolylborate stannyl triphosphine complexes, 1611
Titanium(III)
alkylamido phenyl complexes, 1457
aminopolycarboxylate complex, 577
aryl ketoimine complex, 1717
borohydride carbonyl chloride cyclopetadienyl dienyl complexes, 1883
chloride, 1867
chloride cyclopentadienyl complexes, 1780
chloride ether complex, 2013
edta water complexes, 2883
Titanium(IV)
acetonitrile cyclopentadienyl halide complexes, 311
alkoxide diimine dithiolate pyridine complexes, 2893
alkyl cyclopentadienyl metallocyclic compounds, 2817
alkyl salicylaldimine complex, 1717
carboxylate carboxylic acid chloride oxo complexes, 1846
carboxylate cyclopentadienyls, 1844
chloride cyclopentadienyl oxo pyridine complex, 1804
chloride, dioxygen hydrocarbon complex, 533
chloride tetrahydrofuran complex, 2013
chromium(III) oxide, 1615
cyclopentadienyl ether hydroxide isocyanide methyl water complexes, 1838
cyclopentadienyl imide nitride complex, 1729
oxalate oxo complex, 1792
2,5-Toluenediamine-*N,N'*-disuccinate complexes, 1365
Toluene-3,4-dithiolates
molybdenum, 1033
titanium(IV), 2893
4-Toluenethiolates
titanium(IV), 2893
2-Tolyl complexes
rhenium(VII), 2657
vanadium(III), 1339,1767
4-Tolylimido complexes
tungsten(IV), 1261
4-Tolylisocyanide complexes
palladium(I), 1045
rhenium(I), 1778
4-Tolylmethyl complexes
Nb(V), Ta(V), 1607
N-Tosylasparagine complexes
copper(II), 739
N-Tosylglutamine complexes
copper(II), 739
Transfer chemical potentials
cobalt(III) phenoxide salicylaldimine complexes, 2677
Triamine complexes
molybdenum(0), 2333
Mo(VI), W(VI), 1675
1,4,7-Triazacyclononane complexes
tungsten(VI), 1675
1,4,7-Triazacyclononanetriacetates
gallium, indium, 2481
Triazatrimetallabenzenes, 1729
Triazenide complexes
Al, Ga, In, 1909
Tribenzylphosphine complexes
platinum(II), 897
Tribenzylphosphine oxide complexes
zinc, 1093
Tri-*n*-butylamine complexes
chromium(0), 2681
1,3,5-Tri-*t*-butylbenzene complexes
Cr(0),Hf(0),Mo(0), Nb(0),(I), W(0),Y(0),Zr(0), 1641
2,4,5-Tri-*t*-butyl-1,3-diphosphacyclopentadienyl, 849,2407
Tri-*n*-butylphosphine complexes
chromium(0), 1099
nickel(0), 1351
nickel(II), 585
platinum(II), 835
tin(IV), 2047
Tributylphosphite complexes
ruthenium(II), 851
N-Trichloroacetylalaninate complexes, nickel(II), 1329
Trichlorostannate(II) complexes
molybdenum(II), 917,1786
palladium(I), 1045
rhodium(III), 1085
tungsten(II), 1786
Tricyanomethyl complexes
copper(II), 157
Tricyclohexylphosphine complexes
nickel(II), 585

platinum(II), 433
Tri(2,6-dimethoxyphenyl)phosphine complexes, gallium, 1053
Triene complexes
chromium, manganese, 1589
Triethylenetetramine oxime complexes, Co(II),(III), 1509
Triethylphosphine complexes
cobalt, 801
iron(III), 801
nickel(II), 585
platinum(II), 433,835,897,1979, 2507
tin(IV), 2047
Triethylphosphine oxide complexes
Cd, Hg, Zn, 1093
Triethylphosphite complexes
Mo(IV), W(IV), 1701
Trifluoroacetates
molybdenum, 2265
molybdenum(VI), 2947
rhodium(III), 2727
tungsten(VI), 2947
Trifluoroacetic acid, reactions with organothiocyanates, 775
N-Trifluoroacetylalaninate, -glycinate, -valinate complexes, nickel(II), 1329
Trifluoromethanesulphonates
Mo(VI), W(VI), 2947
N-Trifluoromethyliminoarsine, 2331
Trifluoromethylsulphonate
chromium(III), 1770
1,1,1-Trifluoro-2,4-pentanedionate complexes,
osmium(III), 2179
rhodium(II), 1117
ruthenium(III), 2179
Trifluorophosphine complexes
chromium(0), tungsten(0), 2125
Trimethylacetate
titanium(IV), 1846
2,4,6-Trimethylphenylthiophenoxides, Mo(IV), W(IV), 1701
Trimethylphosphine complexes
molybdenum(II), 1786
nickel(0), 1351
nickel(II), 285,585,1069
platinum(II), 433,835,1979
tungsten(II), 1786
tungsten(IV), 1261
zirconium(III), 1882
Trimethylphosphite complexes
molybdenum(IV), 1701
rhenium(I), 1770
rhenium(V), 959
technetium(I), 1201
tungsten(0), 827
tungsten(IV), 1701
3,4,5-Trimethylpyrazole complexes
copper(II), 157
Trimethylsiloxides
rhenium(VII), 2657
vanadium(IV), 1723
vanadium(V), 1736
Trimethylsilylcyclopentadienyls
niobium(IV),(V), 1848
Trimethylsilylimido complexes
tungsten(IV), 1261
Trimethylsilylmethyls
molybdenum(II), 2599
N,N′,N′′-Trimethyl-1,4,7-Triazacyclononane complexes,
Mo(VI), W(VI), 1675
Trinuclear clusters, molecular orbitals, 2785
Trioctylphosphine oxide complexes
cadmium, 2535
Triphenylarsine complexes
copper(II), 2469
molybdenum(II), 917
ruthenium(II), 1149
Triphenylarsine oxide complexes
thorium, 109
Triphenylgermyl complexes,
titanium(0), 1611
Triphenylphosphine complexes
aluminium, 831
copper(I), 1103
copper(II), 2469
copper(III), 1039
gold, 1903
iridium(I), 121,1431
molybdenum(II), 917,1859
molybdenum(V), 447
nickel(0), 13
nickel(II), 585,2449
osmium(I), 1537
osmium(II), 1431
osmium(III), 2179
palladium(I), 1045
platinum(0), 2485
platinum(II), 91,143,433,701, 835,2485
platinum(IV), 893
rhenium(I), 1770
rhodium(I), 1431,1575
rhodium(III), 613
ruthenium(II), 103,851,1149,1431
ruthenium(III), 851,2179,2813
tungsten(II), 1859
Triphenylphosphine oxide complexes
cadmium, mercury, 1093
ruthenium(II,III), 2571
thorium, 109,977
ytterbium, 1983
zinc, 1093
Triphenylphosphineiminate
vanadium(IV), 1784
Triphenylphosphite complexes
manganese, 1589
molybdenum(II), 917
rhodium(I), 2415
Triphenylsiloxide complex
cerium(IV), 1001
Triphenylstannyl complexes
molybdenum(IV), 1861
titanium(0), 1611
tungsten(IV), 1861
Triphenylstibine complexes
copper(II), 2469
molybdenum(II), 917
Triphosphanate complexes
hafnium(IV), zirconium(IV), 1774
Triphosphine complexes
gold, 1903
hafnium(0), 1611
molybdenum(0), 2119
molybdenum(II),(IV), 1756
rhodium(I),(II), 2119
Ti(0), Zr(0), 1611
2,4,6-Tri-*i*-propylphenylthiophenoxide complexes, Mo(IV), W(IV), 1701
Tri-*i*-propylphosphine complexes
platinum, 2271

Tri-*n*-propylphosphine
complexes
palladium(II), 161
platinum(II), 835
Tris(3-aminopropyl)amine complexes
cobalt(III), 275,415,2389
Tris(4-chlorophenyl)phosphine
complexes
nickel(0), 13
rhodium(I), 167
rhodium(III), 1085
Tris(4-chlorophenyl)phosphine oxidecomplexes, Ru(II,III), 2571
Tris(4-dimethylaminophenyl)phosphine complexes, nickel(0), 13
1,1,1-Tris(dimethylphosphinomethyl)ethane complexes, Hf, Ti, Zr, 1611
Tris(diphenylphosphino)methane
complexes, Mo(0),Rh(I),(II), 2119
Tris(4-fluorophenyl)phosphine
complexes
rhodium(I), 167
rhodium(III), 1085,2727
Tris(4-fluorophenyl)phosphine oxide complexes, Ru(II,III), 2571
Tris(2-methoxyphenyl)phosphine
complexes, gallium, 1053
Tris(4-methoxyphenyl)phosphine
complexes
gallium, 1053
nickel(0), 13
rhodium(I), 167
rhodium(III), 1085
Tris(4-methoxyphenyl)phosphine
oxide complexes, Ru(II,III), 2571
Tris(*m*-tolyl)phosphine
complexes
rhodium(I), 167
Tris(*o*-tolyl)phosphine complexes
aluminium, 831
rhodium(I), 167
Tris(*p*-tolyl)phosphine complexes
nickel(0), 13
rhodium(I), 167
rhodium(III), 1085
1,4,7-Trithiacyclononane complexes
chromium(III), 1770
mercury, 2041
molybdenum(II), 1770
silver(II), 513
Tri(2,4,6-trimethoxyphenyl)phosphine complexes, gallium, 1053
Tropolonates
ruthenium(III), 2813
ytterbium, 117
Tungsten
alkenyl alkyl carbonyl chloride
cyclopentadienyl oxo phosphido
phosphinoalkenyl complexes, 1807
alkoxide pyridine thio iron
complex, 127
alkylidyne carbonyl
cyclopentadienyl hydride
platinum complexes, 2271
alkynyl carbonyl
cyclopentadienyl osmium
ruthenium complexes, 2003
aminocarbyne carbyne diphosphine
methyleneamido vinyl complexes, 1595
carbonyl cyclopentadienyl vinyl
ruthenium complex, 695
carbonyl thio ruthenium complex, 2351
diphosphine seleno selenoacyl
thio thioacyl iron complexes, 179
multiply - bonded ligands with, 1653
oxycarbides, 1794
Tungsten(0)
alkoxide carbonyl hydride
complexes, 653
arene complexes, 1641
carbonyl crown thioether
complexes, 505
carbonyl cyclopentadienyl
antimony complexes, 2495
carbonyl diamine diimine halide
pseudohalide mercury
complexes, 1471
carbonyl dipyridyl phosphite
complexes, 827
carbonyl episulphide complexes, 887
carbonyl phosphine complexes, 2125
carbonyl phosphine phosphirane
complexws, 2671
carbonyl phosphine thioether
complexes, 1876
carbonyl phosphinyl complexes, 627
carbonyl phosphonite Mo(II)
complexes, 2339
Tungsten(II)
acetonitrile alkyne carbonyl
halide complexes, 2587
alkylphosphinidene carbonyl
complex, 2671
alkyne carbonyl iodide thiourea
urea complexes, 351
bromide carbonyl phosphine
thioether complexes, 1876
carbonyl cyclopentadienyl methyl
complexes, 1804
carbonyl cyclopentadienyl
phosphine vinyl complex, 1859
carbonyl dipyridyl isocyanide
complexes, 827
carbonyl iodide crown thioether
complexes, 505
chloride complexes, 469
chloride isocyanide phosphine
tin(II) complexes, 1786
chloride phosphine complex, 1261
Tungsten(III)
alkylidyne carbonyl
cyclopentadienyl methyl
complexes, 2035
chloride complexes, 469
Tungsten(IV)
acetaldehyde alkene alkylimido
alkyne arylimido carbonyl
chloride isocyanide oxo
phosphine silylimido thio
complexes, 1261
carbene carbonyl
cyclopentadienyl hydride
complexes, 1583
carbene carbonyl
cyclopentadienyl iodide

tin(II) complexes, 1861
carbonyl hydride phosphine phosphite pyridine thiophenoxide complexes, 1701
cyclopentadienyl hydride phosphene tin(II) complexes, 1884
cyclopentadienyl mercaptopyridine complexes, 2439
oxo thio complexes, 2785
Tungsten(V)
cyanide complex, reaction with NH_2OH, 2213
hydroxyquinoline oxo thio complexes, 947
Tungsten(VI)
adsorption on carbon, 71
alkylamide alkylimido amine carboxylate chloride sulphonate tetrafluoroborate complexes, 2947
alkylimido arylimido chloide oxo complexes, 1788
bromide hydroxide oxo triamine complexes, 1675
carbohydrate complexes, 333
carbonyl carbyne cyclopentadienyl iodide isocyanide complexes, 1285
chloride metallaphosphazenes, 1729,1736
chloride oxo thio compounds, 549
diolate oxo complex, 519
edta oxo peroxide phosphine oxide succinate complexes, 109
hydride phosphine complexes, 1870
hydroxo oxo complex, substitutions, 1387
Tyrosine ethyl ester, Schiff base complexes, copper(I), 1321

U

Uranium(IV)
chloride diphosphinoamido complex, 1767
phenoxide, 1247
Uranium(VI)
amine crown ether diamine oxo polyether complexes, 2251
aminoalcohol aminophenol diamine dicarboxylate oxo picoline water complexes, 977
aspartate oxo complexes, 2233
diketonate oxo complex, 1111
diolate oxo complex, 519
edta oxo peroxide complex, 109
ketophosphonate nitrate oxo complexes, 1357
oxo salicylhydrazone complexes, 2527
Ureas, difluorophosphine-, 293
Urea complexes
cadmium mercury, 1093
tungsten(II), 351
zinc, 1093

V

Valine complexes
cobalt(III), 1015
Vanadium
nitrogenase component, 1649,1695
Vanadium(II)
acetic acid chloride water complexes, 1823
chloride cyclopentadienyl diphosphine complexes, 1784
oxidation, 469
Vanadium(III)
alcohol halide phenylhydrazine Schiff base complexes, 1782
alkylamido phenyl complexes, 1457
aminothiolate chloride dipyridyl dithiolate oxo pyridine thiolate complexes, 1723
aryl chloride diphosphinoamido methyl complexes, 1767
aryl chloride methyl phosphino-alkylamido complexes, 1339
chloride cyclopentadienyl complexes, 1780
cyclopentadienyl thio complex, 2763
ethylenediaminetetraacetate complex, 1949
oxalate oxo complex, 1792
Vanadium(III,IV)
oxo Schiff base complex, 1782
Vanadium(IV)
acetonitrile chloride oxo thione water complexes, 87
aminoacid oxo complexes,1173, 1745
azole oxo complexes, 1835
chloride cyclopentadienyl diphosphine hydrazide phosphineiminate complexes, 1784
diketonate dithiocarbamate oxo pyrazolylborate complexes, 1827
diketonate oxo pyridine complexes, 2611
disulphide dithiocarbamate complex, 1625
dithiolate oxo seleno siloxide thio thiolate complexes, 1723
ethylenediaminetetraacetate complex, 1949
oxo complexes, 1830
oxo salicylaldimine tin(IV) complexes, 1753
oxo Schiff base complexes, 1748, 1790
Vanadium(IV,V)
carboxylate chloride nitrate complexes, 1723
Vanadium(V)
chloride metallaphosphazenes, 1736
isopolyanions, 1800
oxo water complex, 2791
peroxide complexes in water, 1379
Vinyl complexes
molybdenum, 1595
molybdenum(II), 1859
rhenium, 1595
ruthenium, 695
tungstem, 695,1595
Vinyl disulphide complexes
molybdenum(V), 1705
Vinylidene complexes

electrophilic addition, 1595
manganese, 1589
Vitamin D_3 complexes
cadmium, calcium, 1953

W

Water complexes
beryllium, 357
caesium, 793
cobalt(II), 39,51
cobalt(II,III), 2023
cobalt(III), 1205,2389,2889
copper(II), 1,301,1077,2131,2513
lanthanides, 21,1111,1531,2139
molybdenum(VI), 541,977
nickel(II), 39,689,1329,2305
palladium(II), 2769
platinum(II), 2769
rhodium(III), 1163,2727
ruthenium(III), 463
thorium, 1111
titanium(III), 2883
titanium(IV), 1838
uranium(VI), 977,1111
vanadium(II), 1823
vanadium(IV), 87
vanadium(V), 1379,2791
yttrium, 1217,1923
zinc, 2305
Weibull modulus, aluminium chromium(III) oxide, 1765

X

XANES, molybdenum(V) chloride oxo complexes, 45
XPE spectra
electronegativity and, 1233
lanthanide cyclopentadienyl furfuralkoxide salicylaldehyde complexes, 2109
rhodium(II) amine azole carboxylate pyridine complexes, 1157
X-ray crystal structures
aluminium chloride diphosphine methyl phosphine oxide complexes, 1497
aluminium diaminoimine methyl complex, 1279
aluminium methyl phosphine complexes, 831
aluminium triazenide, 1909
bismuth(III) arylamide, 1579
bismuth(III) dithiophosphate, 483
cadmium diketonate pyridine complex, 2743
cadmium nitrate pyrrolidone mercury complex, 1913
caesium carboxylate carboxylic acid water complex, 793
carboxylic acids, 39
cerium(IV) ether siloxide complex, 1001
chromium(0) carbonyl episulphide complex, 887
chromium(III) dipyridyl complex, 1549
cobalt alkylidyne cyclopentadienyl hydride complexes, 1939
cobalt(II) azole thiocyanate thioether complex, 1965
cobalt(II) carboxylate water complexes, 39
cobalt(II) oxo molybdenum(VI) complexes, 1675
cobalt(III) aminoacid diamine nitrite complex, 1227
cobalt(III) cyclopentadienyl salts, 1780
copper(I) bromide phosphine thione complexes, 1103
copper(I) polyselenide complexes, 1139
copper(II) acetate oxime pyridine water complex, 1077
copper(II) alcohol alkoxide azole halide thiocyanate complexes, 769
copper(II) amine azole carboxylate complex, 659
copper(II) amine chloride ketone complex, 991
copper(II) aminoacid salicylaldimine water complex, 2131
copper(II) azole chloride complex, 1345
copper(II) azole thiocyanate complexes, 2313
copper(II) chloride, polyamine pyridine complexes, 909
copper(II) cyanamide dipyridyl complex, 2219
copper(II) cyanate terpyridine complexes, 97
copper(II) diaminothioether halide complexes, 2749
copper(II) hydroxide nitrate pyridone lanthanide complexes, 1531
copper(II) hydroxide water binucleating complex, 2513
copper(II) methoxide nitrate pyrrolidone mercury complex, 873
copper(II) nitrate pyridine pyridine-N-oxide complex, 933
copper(II) oxime pyridine water complex, 301
copper(II) pyridine salicylaldimine complexes, 2543
dysprosium nitrate pyridone water copper(II) complex, 1531
dysprosium proline water complex, 2139
europium tetramine thiocyanate macrocyclic complex, 2157
furan Schiff base cryptand, 1143
gadolinium nitrate pyridone water copper(II) complex, 1531
holmium proline water complex, 2139
hydrotelluride, 531
indium chloride triaminetricarboxylate, 2481
indium(III) pyridine selenophenoxide thiophenoxide complexes, 865
iridium(I) amidodiphosphine butadiene complex, 2291
iron alkoxide carbonyl thio tungsten complex, 127

iron carbonyl thio complex, 1885
iron(0) carbonyl platinum(0) complexes, 2521
iron(II) bromide carbonyl cyclopentadienyl complex, 2425
iron(II) carbonyl cyclopentadienyl thiosemicarbazide thiosemicarbazone complexes, 2371
iron(II) cyclopentadienyl molybdenum platinum complexes, 2265
iron(II) cyclopentadienyl potassium complex, 879
iron(III) hexadentate complexes, 491
iron(III) oxo molybdenum(VI) complexes, 1675
lanthanum alkyl cyclopentadienyl complex, 1850
manganese(0) carbonyl phosphine complex, 1855
manganese(II) phenanthroline complex, 1853
mercury chloride nitrate pyrrolidone cadmium zinc complexes, 1913
mercury pyrrolidone copper(II) complex, 873
mercury thioether macrocyclic complex, 2041
mercury thioneimine complex, 569
molybdenum alkylidyne carbonyl carboxylate diamine pyrazolylborate iron(II) platinum complexes, 2265
molybdenum(0) carbonyl cyclopentadienone complex, 1810
molybdenum(0) carbonyl cyclopentadienyl antimony complex, 2495
molybdenum(0) carbonyl macrocyclic aminoether complex, 1857
molybdenum(0) carbonyl triamine complexes, 2333
molybdenum(0,II) carbonyl phosphonite complex, 2339
molybdenum(II) acetate isoindoline pyridine complexes, 2359
molybdenum(II) chloride isocyanide phosphine complex, 1786
molybdenum(III) allyl cyclopentadienyl complexes, 203
molybdenum(III) amine phenoxide complexes, 1971
molybdenum(III) bromide diphosphine complex, 545
molybdenum(IV) alkoxide alkylamide complexes, 129
molybdenum(IV) alkoxide chloride diazenide ethanol hydroxamate phenylhydrazine complexes, 29
molybdenum(IV) alkoxide diimine complexes, 123
molybdenum(IV) alkylamido phosphido complex, 1419
molybdenum(IV) allyl cyclopentadienyl complexes, 203
molybdenum(V) alkoxide dithiolate mercaptocarboxylate oxo complexes, 669
molybdenum(IV) amine phenoxide complex, 1971
molybdenum(IV) cyclopentadienyl mercaptopyridine complex, 2439
molybdenum(IV) cyclopentadienyl tetraselenide complex, 1999
molybdenum(IV) thio niobium(IV) complex, 1762
molybdenum(V,VI) methoxide oxo isopolyanion, 537
molybdenum(VI) alkoxide carboxylate dienolate diketal hydroxide oxo complexes, 2915
molybdenum(VI) alkoxide oxo complex, 1213
molybdenum(VI) benzoin oxime oxo salicylaldoxime salicylhydroxamate complexes, 2473
molybdenum(VI) carbazone chloride oxo thiocarbazone complexes, 677
molybdenum(VI) diolate oxo complex, 519
molybdenum(VI) erythritol oxo complexes, 1571
molybdenum(VI) oxo peroxide water complexes, 541
molybdenum(VI) oxo triamine cobalt(II) iron(III) complexes, 1675
neodymium diketonate hydroxide complex, 2183
nickel(0) carbonyl phosphine complex, 1351
nickel(II) acetate polypyridine helical complex, 2551
nickel(II) alkyl pyridine cyclometallated complex, 1069
nickel(II) aminoacid water complexes, 1329
nickel(II) aminoethanethiolate, 2837
nickel(II) benzyl phosphine complexes, 2449
nickel(II) carboxylate water complexes, 39
nickel(II) diimine nitrate water complexes, 689
nickel(II) methanol salicylaldimine complex, 2321
nickel(II) nitrate oxime pyridine complex, 305
nickel(II) phenanthroline complex, 2649
nickel(II) thiolate, 1253
nickel(II) thiosemicarbazonate, 727
niobium(IV) cyclopentadienyl thio molybdenum(IV) complex, 1762
niobium(V) alkylimide chloride cyclopentadienyl, 1819
niobium(V) hydride phenoxide complex, 1607
niobium(V) thio thiophenoxide complex, 1797
osmium alkynyl carbonyl tungsten complex, 2003
osmium carbonyl thio complex, 1437
osmium(II) diimine complex, 367
osmium(VI) carboxymethyl methoxide oxo complex, 597

palladium(I) chloride diphosphine complex, 1045
palladium(II) chloride nitrite phosphine complexes, 161
palladium(II) chloride phosphine thiolate complexes, 2151
palladium(II) chloride sulphurdiimide complex, 91
palladium(II) diimine phosphine complex, 1989
palladium(II) polytelluride complex, 701
phosphaalkene, 2087
phosphonium salts, 1039,1293
phosphorane iminato complexes, 716
phosphorus(V) aminoacid fluoride phenyl compounds, 731
platinum alkylidyne carbonyl Fe(II) Mo complex, 2265
platinum(0) carbonyl diene iron(0) complexes, 2521
platinum(II) amido phosphine complexes, 1979
platinum(II) aryl dipyridyl binuclear complex, 2209
platinum(II) arylamide phosphine complex, 2507
platinum(II) bis(triaza)diphosphine chloride phosphine complex, 2485
platinum(II) chloride diphosphine phosphidophosphine complexes, 2169
platinum(II) cyanide disulphurdiimide complexes, 841
platinum(II) phosphine selenium - nitrogen complexes, 2215
platinum(II) phosphine telluro complex, 701
platinum(II) phosphine thionylimino complex, 835
platinum(IV) bromide phosphine complex, 893
platinum(IV) chloride phosphine sulphur - nitrogen complex, 997
polyselenide complexes, 1995
potassium crown ether complex, 2051
potassium crown ether iron(II) complex, 879
potassium thioethercarboxylate, 2147
rhenium(I) chloride diphosphine nitrile complex, 1872
rhenium(II),(III) chloride diarsine complexes, 1733
rhenium(V) chloride methyl oxo phosphine complex, 959
rhenium(VI) alkylimide, 2657
rhenium(VII) alkylimido aryl chloride siloxide complexes, 2657
rhodium(I) carbonyl chloride complex, 2119
rhodium bromide nitrosyl phosphine complex, 2565
rhodium(I) chloride diphosphine phosphine complex, 1575
rhodium(I) cyanide phosphite complex, 2415
rhodium(I) diene diphosphine zirconium(IV) complex, 1760
rhodium(I) diene perrhenate complex, 375
rhodium(II) acetate diketonate pyridine complex, 1117
rhodium(II) carbonyl chloride triphosphine complex, 2119
rhodium(III) bromide nitrate phosphine complex, 2565
rhodium(III) chloride hydride phosphine thioether thiolate complexes, 613
rhodium(III) phenyl phosphine quinaldinate trifluoroacete water complex, 2727
ruthenium alkyne carbonyl phosphine thio complexes, 1123
ruthenium alkynyl carbonyl tungsten complex, 2003
ruthenium carbene carbonyl thio tungsten complex, 2351
ruthenium carbonyl diphosphine vinyl tungsten complex, 695
ruthenium(II) acetate carbonyl complex, 597
ruthenium(II) pyridine quinone oxime complex, 103
ruthenium(II,III) acetate phosphine oxide complex, 2571
samarium(II) cyclopentadienyl ether complexes, 1007
silver(I) amine thioether macrocyclic complex, 2951
silver(I) crown thioether complexes, 513
silver(I) polyselenide complexes, 1139
silver(I) polysulphide complex, 2379
sodium phosphine oxide thiocyanate complexes, 215
tantalum(V) alkyl amido imido imine iminoacyl phenoxide complexes, 341
technetium(II) chloride diimine complexes, 1879
technetium(V) diimine diphosphine halide nitride complexes, 1879
thallium(I) carboxylate carboxylic acid thioether complex, 793
tin(II) catechol ether complex, 2933
tin(IV) alkyl chloride dithiocarbamate complex, 1413
tin(IV) chloride phenyl vanadium(IV) complexes, 1753
tin(IV) phenyl thiocyanate complex, 1897
tin(IV) tetraselenide complex, 1999
titanium(III) carbonyl chloride complex, 1883
titanium(III) chloride cyclopentadienyl complexes, 1780
titanium(III) chloride ether complex, 2013
titanium(IV) carboxylate carboxylic acid chloride oxo complexes, 1841
titanium(IV) chloride

cyclopentadienyl oxo pyridine complex, 1804
titanium(IV) cyclopentadienyl ether hydroxide methyl water complexes, 1838
tungsten carbonyl chloride cyclopentadienyl phosphinoalkenyl complex, 1807
tungsten carbonyl cyclopentadienyl vinyl ruthenium complex, 695
tungsten carbonyl thio ruthenium complex, 2351
tungsten(0) carbonyl cyclopentadienyl antimony complex, 2495
tungsten(0) carbonyl phosphine thioether complex, 1876
tungsten(0) carbonyl phosphirane complex, 2671
tungsten(II) chloride phosphine complex, 1261
tungsten(III) alkylidyne carbonyl cyclopentadienyl methyl complex, 2035
tungsten(IV) alkene arylimido carbonyl chloride oxo phosphine complex, 1261
tungsten(VI) alkylimido amine sulphonate complex, 2947
tungsten(VI) alkylimido arylimido chloride oxo complexes, 1788
tungsten(VI) bromide hydroxide oxo triamine complexes, 1675
uranium(IV) phenoxide, 1247
uranium(VI) ketophosphonate nitrate oxo complexes, 1357
vanadium(II) acetic acid chloride water complexes, 1823
vanadium(III) alkylamido phenyl complex, 1457
vanadium(III) cyclopentadienyl thio complex, 2763
vanadium(IV) chloride oxo thione water complex, 87
vanadium(IV) oxo salicylaldimine tin(IV) complexes, 1753
ytterbium benzoate pyrazolylborate, 551
ytterbium cyclopentadienyl phosphine oxide complex, 1983
yttrium acetate hexadentate macrocycle water complexes, 1923
yttrium tetramine thiocyanate macrocyclic complex, 2157
zinc methoxide nitrate pyrrolidone mercury complexes, 1913
zirconium alkyl alkylamido borohydride chloride cyclopentadienyl diphosphine iminoalkene phenoxide complexes, 1601
zirconium alkyl cyclopentadienyl rhodium(I) complex, 1760
zirconium carboxylate chloride cyclopentadienyl complex, 929
zirconium diimine phenoxide complex, 77
zirconium phenoxide pyrazolylborate complex, 845
X-ray diffraction
aluminophosphates, 819
beryllium iodate water complex, 357
cadmium mercury borates, 1567
clay minerals pyrolysis, 2709
copper(II) acetate oxime pyridine water complex, 1077
ferrihydrite - goethite conversion, 149
iridium(III) chloride pyridine complex, 2245
magnesium hydroxide nitrate, 1061
molybdenum cyanide nitrosyl complexes, 2897
vanadium(IV) oxo Schiff base complexes, 1790
2,6-Xylylmethylidyne complexes
Cr, Fe, Mo, W, 179

Y

Ytterbium
carboxylate pyrazolylborate, 555
chloride pyridine pyrrole Schiff base water complexes, 21
crown ether complex, 1561
cyclopentadienyl ether indenyl complexes, 17
cyclopentadienyl furfuralkoxide salicylaldehydate complexes, 2109
cyclopentadienyl phosphine oxide complex, 1983
formylferrocene benzoylhydrazone complex, 2105
oxalate pyrazolylborate, 2367
polyaminepolycarboxylate, 1425
pyrazolylborate tropolonate complexes, 117
Yttrium(0)
arene complexes, 1641
Yttrium(III)
acetate hexadentate macrocycle water complexes, 1923
carboxylate pyrazolylborate, 555
coordination numbers, 2431
formylferrocene benzoylhydrazone complex, 2105
nitrate pyridine Schiff base water macrocyclic complex, 1217
oxalate pyrazolylborate, 2367
tetramine thiocyanate macrocyclic complex, 2157

Z

Zeolite, molybdenum(V) dithiocarbamate in, 1817
Ziegler - Natta catalysis, 1867
Zinc
amide cytosine halide phosphine oxide urea complexes, 1093
chloride pyridine complexes on silica gel, 2901
chloride theobromine complex, 2593
diaminepolycarboxylate dicarboxylate complexes, 2693
diisocyanide complex, 317

diketonate pyridine complexes, 2743
diketonate thiodiketonate water complexes, 2305
dithiocarbamates, 1891
insulin complexes, 2065
methoxide nitrate pyrrolidone mercury complex, 1913
phosphonate complexes, 1307
polyselenide complexes, 1995
pyridinedicarboxylate complexes, 745
Zirconium(0)
arene carbonyl complexes, 1641
carbonyl triphosphine complexes, 1611
Zirconium(III)
alkyl chloride cyclopentadienyl fulvalenide hydride phosphinoalkyl complexes, 1758
alkylphosphido cyclopentadienyl complexes, 1774
chloride cyclopentadienyl ether phosphine complexes, 1882
Zirconium(IV)
alkoxide cyclopentadienyl methyl Nb(III) Ta(III) complexes, 2189
alkyl alkylamido borohydride chloride cyclopentadienyl diphosphine iminoalkene phenoxide complexes, 1601
alkyl cyclopentadienyl phosphinoalkyl complex, 1758
alkyl cyclopentadienyl rhodium(I) complex, 1760
alkyl diimine phenoxide complexes, 77
alkylphosphido cyclopentadienyl diphosphanate triphosphanate complexes, 1774
carboxylate chloride cyclopentadienyl complex, 929
chloride diphosphinoamido diphosphinophosphido complexes, 1767
chloride ether salicylaldimine complex, 1717
cyclopentadienyl metallathiazenes, 1729
diaminopolycarboxylate complexes, 1365
dicarboxylate peroxide pyridine-*N*-oxide complex, 977
edta peroxide phosphine oxide succinate complexes, 109
hydroxycarboxylate oxalate peroxide complexes, 1371
phenoxide pyrazolylborate complexes, 845
phthalocyanine, 1631


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6
6.3
7.1
8.0
9.0